



TOBACCO & NGP

Sales
Promotion &
Presentation
Solutions



VENEZ NOUS RENDRE VISITE DANS NOTRE SHOWROOM

Venez nous rendre visite et découvrez les nombreuses solutions de promotion des ventes.

Dans notre showroom à Oberriet, vous pouvez voir et tester en direct les différentes formes de présentation des marchandises.

Lors d'un entretien personnel, nous trouvons suffisamment de temps pour répondre à vos questions individuelles. Veuillez nous informer au préalable de la date souhaitée.

S'inscrire par e-mail : info@kuehnis-solutions.ch

Appeler directement : **071 760 07 07**



Content

For more success at the point of sale

Page 4 - 11

RMC

Page 12 - 31

OTP

Page 32 - 46

NGP

Page 47 - 68

TPD2

Page 69 - 80

Plain Packaging

Page 81 - 88

Dark Market

Page 89 - 95

Systems for shopfitters

Page 96 - 107

System components

Page 108 - 135

„There is no **revolution** in anything
without **people**“



Successful as a team:
The management
of POSTUNING

Bernd Schäkel,
Oliver Voßhenrich
and Christoph Moser



1998

This is how things started:

The idea of a pushfeed and the system tray was born in a garage in Bad Salzuflen in 1998. Thanks to automation, digitalisation and intelligent equipment in Bad Salzuflen, we ensure more success at the Point of Sale at more than 160 million product spaces in more than 120 countries across the world.



Simply excellent:
In 2024, we were honoured as
brand of the Century Award.

Make. Shopping. Simply. Better.

IMPROVED GOODS VISIBILITY

After 30 years of experience in the shop fitting industry, Udo Voßhenrich laid the foundation for the company POS TUNING on March, 10th 1998. What started as a one-man operation in a garage in Bad Salzufen is now a **global company** with a headcount of over 250.

The company's mission was quickly derived from the premise that shoppers can only buy what they can see: Optimum presentation of goods on existing shelves in retail outlets with the objective of **boosting sales success** and also **reducing shelf maintenance effort**.

Since 2003, the company has also focussed on **optimum goods availability**. Since then, Oliver Voßhenrich, an IT and business management graduate, has been connecting the analogue world of pushfeeds with the digital world of sensors and IT.

With our international presence with HQ in **Bad Salzufen**, offices in **France, Spain and Turkey** or with our more than 30 strategic partners across the globe, we continuously work on developing successful future solutions to optimise the presentation of goods at the Point of Sale.

In recent years, our **motivated team of experts** from the retail, shop fitting and IT sectors have made POS TUNING the **market leader** for successful goods presentation at the Point of Sale.

Our performance promise:
More success at the Point of Sale!

Our slogan: Win-Win-Win

In the best ECR way, we develop solutions that benefit retailers, the consumer goods industry and shoppers alike.

Our standard:

We establish new goods presentation standards with patented and prize-winning developments: Be it confectionery, beverages, frozen goods or drug store products – we have the right solution whatever the category.

HISTORY

1998

The company is founded as a 1-man operation in a garage in Bad Salzufen. The Systemtray is created.

2000

The garage is bursting at the seams. We rent premises in Bad Salzufen.

2005


Space becomes tight here, too: First company-owned property in Bad Salzufen.

2008

We move into new premises very shortly afterwards. The new building in the industrial park in Bad Salzufen is also closer to the motorway and therefore more convenient to reach.

2012


Expansions are planned: The company building is expanded to 10,400 m².



From Germany to Europe and across the globe:

We work with many experts to optimise the presentation of goods at the Point of Sale.





Make. Shopping. Simply. Better.

TEAMPLAY

POST TUNING – that is the sum of all POS Tuners. And being a POS Tuner means being a **professional at the point of sale**.

It's all in the mix! We work in **interdisciplinary teams** for our target customers from the retail, consumer goods and tobacco industries. Experts from product development, marketing and sales ensure that your products are more successful at the point of sale.

Urgent cases are handled immediately in our prototyping department. Here, developers and sample builders work hand in hand to build initial samples for testing using 3D printing processes.

How successful the new placement solution is, we test together with the retailers in one of our **pilot stores**.

Our sensor solutions for the Point of Sale support you in **qualified market research**. By linking POS data and sensor-based exit data from the shelf, our customers can immediately see how your solution performs at the point of sale.

360° service at the Point of Sale

'Retail is Detail' – the constant optimisation of placement, the listing of new products, sales-promoting promotions and much more challenge retailers and industry on a daily basis. Take advantage of POS TUNING as a service provider: we will optimise your assortments in the best possible way – whenever there is a programme change. We replace defective shelving systems during conversion – we add missing systems.

We are against waste

– we support the environment

Shelf arrangement systems are raw materials. This is why we take back all faulty systems, even if they are not from POS TUNING, and return them to the **closed recycling system**.


POS TUNING apprenticeship program

Our junior members of staff are also important to us. We offer a number of apprenticeships in various skills to ensure that our young employees enter their chosen careers well trained.

POS TUNING graduate program

We offer student trainees the possibility of gaining practical experience in our company between lectures, seminars and lessons, and while earning money to pay for their studies. Student trainees are an integral part of our team and, in addition to the theory they learn at college, they also have the opportunity of gaining practical experience of the world of work in a highly modern industrial company. They work responsibly on specific projects and gain experience in their specialist field of choice. This certainly enhances their qualification and sets them apart.

For more information about graduate courses and available apprenticeships, please go to www.postuning.com.



We place our faith in the generation 'Future'. Since 2010, we have cooperated with 'Studienfonds OWL' to award grants to the best A-level students in Lippe in East Westphalia for a degree course at a college or polytechnic in our region. **Participating universities** are the University of Bielefeld, the University of Paderborn, Bielefeld Polytechnic, OWL College and the College for Music in Detmold. We also offer students the possibility of writing dissertations in the fields of export, IT, HR, production, development and engineering or accounting.



Energy-saving refrigeration systems

The cooling system with compression refrigeration was replaced by energy-saving refrigeration systems with free cooling equipment.



Energy efficient vacuum pumps

The vacuum pumps on the extrusion line were upgraded to an even more energy-efficient variant.



Energy-saving light sources

The lighting in the halls as well as the outdoor lighting was completely converted to energy-saving LED lamps.



Eco electricity

We produce with 100% electricity from renewable sources.



All-electric injection moulding machines

We use energy-saving, all-electric injection molding systems in production, which consume up to 60% less energy than conventional hydraulic systems.



Heating with heat recovery

We heat our buildings via heat recovery from the compressed air production of our machines.




On site Recycling

Plastic waste from the injection molding cycle is processed into new parts directly at the point of origin.



Efficient profile drying

We have changed our profile drying in the whole area of extrusion from compressed air to a more efficient variant with side channel compressor and a distribution system.



Our man who is committed to sustainability goals.

Since August 2022, our Sustainability Manager Manuel Tölle has been in charge of the company's sustainability strategy to support the global social and environmental sustainability goals. Together with the Environmental Officer, he ensures environmental and waste management at POS TUNING. He also initiates measures to conserve resources, save energy and reduce emissions.



CERTIFICATE

The certification body
of the Deutsches Institut für Nachhaltigkeit & Ökonomie
[German Institute for Sustainability and Economy]

certifies that the company

POS TUNING GmbH

Am Zubringer 8

D – 32107 Bad Salzflen

has successfully passed a comprehensive sustainability audit
in the areas

Ecology, Economy and Social Competence
(product, service and quality of advice, economic future, business management as well as ecological and social responsibility)

in accordance with
di-no. – Procedural Regulation D-20/400

Documented in Analysis Report No. 502023
and relevant Audit Report No. 502023

The company is also awarded the
seal of approval 2023 "Commitment to sustainability"

[Signature]
Dissel, Managing Director/Münster, 01.02.2024

Make. Shopping. Simply. Better.

ONE PLANET

The future is now! POS TUNING assumes responsibility. Responsibility for the generations to follow. Protection of the environment and **sustainable use of resources** are very important to us.

As a manufacturer, we take every opportunity to use resources economically.

Our premises are heated using process heat from the production systems. Our all-electric machines require only half as much energy as conventional machines. We have changed all lights to LED and our free cooling equipment also saves a lot of energy compared to conventional cooling methods.

Most of the production waste is returned to the production process. The use of rolling KLTs when moving goods with our suppliers saves tens of thousands of boxes every year. We also use transport packaging specially designed for the freight space to avoid generating CO² for transporting air.

We certify our work conditions, our occupational safety, the hygiene conditions and our environment management system in line with the internationally recognised SMETA-Standard (Sedex Members' Ethical Trade Audit).



In 2020, we received the certificate for assured sustainability for the first time. We are proud of this and take our responsibility seriously.

We have already implemented many measures to promote sustainability and continue to work constantly to uncover potential in all areas and thus become even better. We have also been recognised accordingly for 2023.



Make. Shopping. Simply. Better.

POS AT ITS BEST!

Things that annoy shoppers include cluttered shelves, products that have fallen over or having to search for members of staff.

With its automation and digitalisation solutions and an excellent 360° service, POS TUNING ensures that your Point of Sale is still first choice tomorrow. Because: immediate availability of the goods, a presentation that targets all the senses and a friendly and competent contact person only exist at the POS. The Internet can do everything else.

Enthuse your shoppers at the POS and offer them:

- Perfect orientation
- Improved visibility
- Easy access to the goods
- Improved goods availability

Success must be quantifiable. This is why we like to carry out market research in line with our projects. Using our pilot stores, we review each development to identify the positive effects. POS TUNING will only use solutions that make a positive contribution to shelf maintenance effort, goods availability, sales and turnover, shopper perception etc. to generate more success at the Point of Sale.

Visit one of our pilot stores to check the effect of our systems live.

Discover how our solutions
Make. Shopping. Simply. Better.

Our pilot stores help us to implement the market requirements in efficient tools for more success at the Point of Sale.


We believe that this is worth a trophy!

Use the products and pass on this know-how to other interested parties. We have a map on our website that shows all markets that have real pilot stores.

And, of course, we are on hand to answer any questions about category marketing. By telephone, e-mail or on site, we will be happy to help you improve your success at the Point of Sale.

THE SUCCESS SPEAKS FOR ITSELF

(Case study:
Fruit gums and liquorice/Edeka Köpper pilot store)



A SUCCESS STORY

2018

In addition to automation, digitalisation is playing an increasingly important role for more success at the Point of Sale. The neoalto services give retailers and industrial operations real-time insights into shopper behaviour at the Point of Sale to optimise it.

2020

During the worldwide Covid19 pandemic, the topic of safety while shopping is becoming increasingly important. POS TUNING develops the „Stay Safe“ line in a very short time. This includes, among other things, hygienic protection for cash desks. By April 2020, around 15,000 hygienic protections will be sold all over Germany.

2021

POS TUNING now offers further customer-centric solutions and expands the possibilities in retail with shelf-ready systems and a full services.

2023

POS TUNING celebrates its 25th anniversary – with now 250 employees and presentation solutions that are 100% developed and produced in Germany.

2024

POS TUNING expands the production area at the Bad Salzflen site by a further 6,500 square metres.

TOMORROW

Together we achieve more success at the Point of Sale! Promised!



Presentation solutions for

RMC

READY MADE CIGARETTES

PRESENTATION SOLUTIONS FOR RMC AT A GLANCE



Doubling the facings
on the same shelf using with
the POS-T Duplex Pushfeed



100% brand focus
– horizontal presentation with the
POS-T SloMo Pushfeed System



One system – many options
with maximum filling capacity
with POS-T Duplex XL



Space and cost efficient
RMC presentation
with POS-T Duplex XL for RMC



READY MADE CIGARETTES RMC ARE CHANGING

TIME TO TAKE ACTION!

The cigarette and tobacco market is changing. Next generation products are advancing. Chewing tobacco and e-cigarettes in a liquid or cap system have been brought onto the market and advertised as successors to classic cigarettes. Nevertheless, experts estimate that there will continue to be a market for classic RMC products up to the year 2050. Cigarettes are still in a good position - on the shelf, that is to say. Next generation products then share the sparse space in the front of the counter area with chocolate bars and lottery tickets. It won't always be so! The competition for sought-after space on the tobacco shelf has begun. Don't let it get out of hand - there is enough space for everyone!

Using a horizontal, stacked presentation in the new POS-T Duplex Pushfeed, you can double your product facings on your current shelf.

OVERVIEW OF THE NUMBERS

- + 50%** more product facings on the shelf using the same number of shelves thanks to the new POS-T Duplex Pushfeed
- + 100%** Better visibility of your brand with the perfect focus - even if the products vary in size and type

THE EXPERTS AT THE POINT OF SALE!

We are your global partner when it comes to selling tobacco goods. Regardless of whether you are selling king-size, big or small packs, round chewing tobacco tins or modern e-cigarettes in a cap or liquid system. And regardless of whether the presentation is horizontal or vertical - all products are staged optimally. Furthermore, we have all the answers to the problems of the future - changing legal requirements and the reduction of available shelf space. We have many years of experience, meaning we are reliable specialists in your market segment.

Contact us:

Customer Service Tobacco
+49 5222 36965-696
Team-Tobacco@postuning.com



THE PROBLEM

Classic cigarettes are in close competition with next generation products at the point of sale.

Sales areas are becoming increasingly smaller, compelling companies to rethink strategy.

Warning messages are making it harder to focus on the brand.

It is now impossible to get a good overview thanks to the increasing variety of packaging sizes.



THE PERFECT SOLUTION

Horizontal presentation with an additional level creates more space on the existing shelf.



THE RESULT

Double the space for products on the shelf

More space for new generation products

Improved visibility thanks to the tidier shelf appearance

Content


Duplex presentation (upright)	Page	18	-	20
Duplex presentation (lying)	Page	21	-	24
Duplex presentation (individual)	Page	25	-	28
lying presentation	Page	29	-	29
upright presentation	Page	30	-	31

RMC

Duplex presentation (upright)



POS-T Duplex XL RMC Set



The next revolutionary step in cigarette shelving

With the new POS-T Duplex XL system, specially developed for upright cigarettes, you not only save on expensive shelves, but also achieve up to 20% more storage space with the same shelf area.

POS-T Duplex XL for a double-level presentation

- Set for 20 facings consists of the following components:
- 11 x Duplex XL Divider
 - 40 x Clip-on for POS-T Duplex XL Divider
 - 10 x Pushfeeds for upper level
 - 10 x Pushfeeds for bottom level

Required shelf distance: 210mm. Continuously width flexible 56 - 76mm.





No. of Facings	Depth mm	PU	Item No.
20	265	1	30009526
20	375	1	30009475

Other depths and versions on request.

RMC

Duplex presentation (upright)

POS-T Duplex XL RMC Components



POS-T Duplex XL System for RMC is the effective and affordable solution **to increase your shelf capacity and reduce shelves.**

With a Duplex presentation you do without every 2nd shelf, instead you present your products twice on top of each other. The optimized height settings in the Duplex XL shelf divider allow you to optimize shelf spacing and gain up to 20% additional shelf space.

Suitable for packages up to 76mm wide
Required shelf distance: 210mm

The following components are required for the double placement of your RMC products:

Divider Duplex XL, with front fixation, height 160mm, transparent, vario

- Divider height 160mm
- Breakable Divider from 255 - 355mm
- With front stop 15mm

Length mm	Height mm	PU	Item No.
255	160	1	30009491
255-355	160	1	30009469

Clip-on for POS-T Duplex XL Divider

- For installing width flexible pushfeed levels (56 - 76mm)
- For individual installation options
- Attached in seconds - transformed in seconds

4 clips are needed for one level.

PU	Item No.
1	30008706


POS-T Duplex XL Pushfeed for RMC

Pushfeed System for the upper duplex level. With Pushfeed width 28mm, height 70mm, depth 25mm and frontstop 20mm. With pre-installed F005 guiderail.

Length mm	PU	Item No.
310	1	30009474
375	1	30009471

RMC

Duplex presentation (upright)



Pushfeed with 25mm front stop, width 28mm, height 70mm, light gray


With front anchor W 39 x H 25mm.

Max. capacity mm	Force Newton	PU	Item No.
415	2	1	30009052

RMC


Duplex presentation (lying)

Planogram example




+ 33% more shelf space

with the POS-T Duplex Pusher




POS-T Duplex Set



The new way of cigarette presentation

With the POS-T Duplex Pusher from POS TUNING you can double your cigarette facings without increasing shelf space. This creates space for Next Generation Products on your shelf - without reducing the RMC product range.

- For all product widths from Kingsize to Big Packs
- For all product heights up to 26mm
- No change of existing shelving systems necessary
- NGP - Displays in the counter area can be reduced



POS-T Duplex Pusher for a double-level presentation

Set for 20 facings consists of the following components:


- 11 x Divider
- 10 x middle shelves
- 20 x SloMotion Pushfeeds

For product widths from 56-76mm.

No. of Facings	Depth mm	Max. filling quantity	PU	Item No.
20	310	6 x 20 packs	1	30006906
20	395	8 x 20 packs	1	30006847

Other depths and versions on request.

POS-T Duplex components




Divider Duplex D110, with front fixation, height 110mm, transparent

Middle Divider of a Duplex series.

With variable lengths, can be individually adjusted within 25mm grid. For flexible use of articles with different shelf depths. Front fixation 15mm high.

Divider #30007958 already shortened.

Length mm	Height mm	PU	Item No.
255-305	110	22	30007958
255-355	110	26	30007641




Divider Duplex D110, with front fixation, height 110mm, transparent

Divider for left end of a Duplex series.

With variable lengths, can be individually adjusted within 25mm grid. For flexible use of articles with different shelf depths. Front fixation 15mm high.

Divider #30007957 already shortened

Length mm	Height mm	PU	Item No.
255-305	110	40	30007957
255-355	110	26	30007643



Divider Duplex D110, with front fixation, height 110mm, transparent

Divider for right end of a Duplex series.


With variable lengths, can be individually adjusted within 25mm grid. For flexible use of articles with different shelf depths. Front fixation 15mm high.

Divider #30007959 already shortened

Length mm	Height mm	PU	Item No.
255-305	110	40	30007959
255-355	110	26	30007644

RMC


Duplex presentation (lying)



SlowMotion Duplex Pushfeed for upper duplex level

Pushfeed System for the upper duplex levels.
With pre-installed F005 guiderail.

Length mm	Max. filling quantity	PU	Item No.
310	6 packs	1	30007354
393	8 packs	1	30007352



SlowMotion Duplex Pushfeed for lower duplex level


Pushfeed System for the lower duplex level.
With pre-installed F003 guiderail.

Length mm	Max. filling quantity	PU	Item No.
310	6 packs	1	30007353
393	8 packs	1	30007350

RMC

Duplex presentation (lying)

Communication POS-T Duplex



Divider clips for orientation labels

Orientation is that simple!
Simply put it on the divider and each facing has its own labelholder for an individual orientation hint.


For labels: W 17 x H 26mm
We recommend paper from 160g.
One set contains 25 divider clips.

PU	Item No.
1	30007359


RMC

Duplex presentation (individual)

One System – many Options



POS-T Duplex XL Set



POS-T Duplex XL

One system - many options

Opportunities and benefits at a glance:

- Many presentation options with one system
- Full packing units in one facing
- 100% compatible with other POS-T Pushfeeds
- Simple „one-click“ installation from the shelf front
- 3 different heights adjustable
- Continuously width flexible (56 - 76mm)

Creates space for more products on the shelf


POS-T Duplex XL for a double-level presentation

Set for 20 facings consists of the following components:

- 11 x Duplex XL Divider
- 40 x Clip-on for POS-T Duplex XL Divider
- 10 x SlowMotion Pushfeeds for upper level
- 10 x SlowMotion Pushfeeds for bottom level

No. of Facings	Depth mm	PU	Item No.
20	310	1	30009111
20	394	1	30009105


Other depths and versions on request.



RMC

Duplex presentation (individual)


POS-T Duplex XL Divider



Divider Duplex XL, with front fixation, height 160mm, transparent, vario

- Divider height 160mm
- Breakable Divider from 255 - 355mm
- With front stop 15mm

Length mm	Height mm	PU	Item No.
255-305	160	1	30008719
255-355	160	1	30008713




Clip-on for POS-T Duplex XL Divider

- For installing width flexible pushfeed levels (56 - 76mm)
- For individual installation options
- Attached in seconds - transformed in seconds

4 clips are needed for one level.

PU	Item No.
1	30008706

POS-T Duplex XL | 2 Pushfeed Level



With a Duplex XL double presentation of your RMC products you have many advantages:

- Maximum filling capacity with low space requirement
- 2 full packaging units fit into one double facing
- Reduction of required shelves saves costs
- Reduction of shelf distances creates space for new products
- Premium look through stacked presentation




SlowMotion Duplex XL Pushfeed

Pushfeed System for the upper duplex level.
With pre-installed F005 guiderail.

Length mm	Max. filling quantity	PU	Item No.
310	9 packs	1	30009103
393	12 packs	1	30009101

RMC

Duplex presentation (individual)




SlowMotion Duplex XL Pushfeed

Pushfeed System for the upper duplex level.
With pre-installed F005 guiderail.

Length mm	Max. filling quantity	PU	Item No.
310	9 packs	1	30009104
393	12 packs	1	30009102

POS-T Duplex XL | 3 Pushfeed Level



Turn the Duplex into a Triplex!

With a Duplex XL Triple presentation of your RMC products you have many advantages:

- Maximum filling capacity with low space requirement
- Reduction of required shelves saves costs
- Reduction of shelf distances creates space for new products
- Premium look through stacked presentation

SlowMotion Duplex Pushfeed for upper duplex level

Pushfeed System for the upper duplex levels.
With pre-installed F005 guiderail.

Length mm	Max. filling quantity	PU	Item No.
310	6 packs	1	30007354
393	8 packs	1	30007352

SlowMotion Duplex Pushfeed for lower duplex level



Pushfeed System for the lower duplex level.
With pre-installed F003 guiderail.

Length mm	Max. filling quantity	PU	Item No.
310	6 packs	1	30007353
393	8 packs	1	30007350

RMC

Duplex presentation (individual)

Communication



POS-T Duplex Labelholder for pricing

Attachment for paper labels, e.g. price labelling or brand communication.

For label height 15mm. Recommended paper thickness 140 - 180g.



Labelholder for upper levels compatible with all facing widths. Labelholder for lower level only compatible with facing widths 56 - 65mm.

Length mm	Height mm	PU	Item No.
55	17	1	30009116

POS-T Duplex Labelholder E028 for pushfeeds, width 30mm

Compatible with pushfeed with width 28mm, with insert for labels width 28mm.

Height mm	Width mm	PU	Item No.
37	30	1	30009114
63	30	1	30009115



Divider clips for orientation labels

Orientation is that simple!

Simply put it on the divider and each facing has its own labelholder for an individual orientation hint.

For labels: W 17 x H 26mm

We recommend paper from 160g.

One set contains 25 divider clips.

PU	Item No.
1	30007359

RMC


lying presentation



Show your products from their best side
 Due to a horizontal presentation, the visibility is exclusively on the brand.
 Perfect handling through controlled slow forward movement with SloMo Pushfeed.

For this presentation you need in addition to the pushfeed:
 - Adapter-T Rail
 - Guiderail, width 34mm
 - Divider, height 100 or 12mm
 These are described in the chapter **system components**.

King Size and Big Packs



For product widths over 54mm.

Pushfeed with damper, width 44mm, height 110mm, depth 40mm, light gray

Damped pushfeed with universal strength for all stacked tobacco and NGP products from 54mm width. Without front stop, products stop at the dividers. Front gap 22mm.

Max. capacity mm	PU	Item No.
540	100	30004409

RMC

upright presentation



Perfect standing and easy removal of cigarette packs.

For this presentation you need in addition to the pushfeed:

- Adapter-T Rail
- Divider, height 60mm

These are described in the chapter system components.


King Size and Big Packs

For product widths over 54mm.

Pushfeed with 25mm front stop and labelholder, width 51mm, height 80mm, depth 25mm, light gray

Labelholder for place reservation system. For labels W 49 x H 80mm. Front gap 22mm.


Max. capacity mm	Force Newton	PU	Item No.
390	2	120	30004498



Pushfeed, width 40mm, height 70mm, depth 25mm, light gray

With front anchor W 39 x H 10mm, without own front stop. Products stop at the divider front stop. Front gap 22mm.

Max. capacity mm	Force Newton	PU	Item No.
390	2	140	30004499



Pushfeed with 25mm front stop, width 40mm, height 70mm, depth 25mm, light gray

With POS-T Newton label 2N. Front gap 22mm.


Max. capacity mm	Force Newton	PU	Item No.
390	2	140	30004503



RMC

upright presentation

Slim Packs




For product widths over 36mm.

Pushfeed with spacer, width 28mm, height 70mm, depth 40mm, light gray

Spacer 31 x 62 x 19mm decreases the **front gap to 5mm**, such that the last package of slim products stays safely in the pushfeed. With front stop W 20 x H 25mm. **For all products from 36mm width.**

Max. capacity mm	Force Newton	PU	Item No.
390	2	90	30004352

Ultra Slims




For product widths less than 36mm.

Pushfeed, width 15mm, height 68mm, light gray

With front anchor W 17 x H 5mm, without front stop.

Max. capacity mm	Force Newton	PU	Item No.
340	1.5	203	30004446

Accessories



Labelholder E049, transparent

Compatible with pushfeed with width 28, 40 and 44mm, with insert for labels (W 49 x H 80mm).

Height mm	Width mm	PU	Item No.
80	51	60	30005521



Presentation solutions for

OTP

OTHER TOBACCO PRODUCTS

PRESENTATION SOLUTIONS FOR OTP AT A GLANCE



Custom-made

- Roll-your-own tobacco in pouches are served particularly well!




Finding space on the shelf

- We have the right pushfeed system for all sizes of cigarillos.



As for tins

- Square and round tins should also be kept in the front row!



Presented according to size

- Perfect staging with individualised display solutions



TOBACCO, CIGARS & CIGARILLOS – OTP BELONG AT THE FRONT!

DIVERSITY IS NOT COMPLICATED

Other Tobacco Products – the umbrella term for everything else sold in the tobacco industry. Cigarillos, tobacco pouches, square and round tins, buckets, zip-bags and even papers and sleeves.

More simply, OTPs are diverse. Goods presentation at the point-of-sale should be just as diverse. However, diversity is not automatically more complicated – with only a few different POS-τ Pushfeed Systems, you can perfect the presentation of OTPs at the point-of-sale. And this is more important than ever. Thanks to increasing cigarette prices, OTPs have gained importance over the past few years. Rolling your own is now trendy. Therefore, it would be a pity if tins, buckets and papers were left in the background. They don't belong back there.

Just as important: Displays and secondary placements offer the basis for additional turnover or successful product launches and showcase the value of products – this applies to the counter and the shelf.

OVERVIEW OF THE NUMBERS

120 countries have made use of our goods pushfeed systems so far.

5 various POS-T pusher systems cover the complete OTP category.

THE EXPERTS AT THE POINT OF SALE!

We are your global partner when it comes to selling tobacco goods. Regardless of whether you are selling king-size, big or small packs, round chewing tobacco tins or modern e-cigarettes in a cap or liquid system. And regardless of whether the presentation is horizontal or vertical – all products are staged optimally. Furthermore, we have all the answers to the problems of the future – changing legal requirements and the reduction of available shelf space. We have many years of experience, meaning we are reliable specialists in your market segment.

Contact us:

Customer Service Tobacco
+49 5222 36965-696
Team-Tobacco@postuning.com



THE CATEGORY PROBLEMS

Many different packaging sizes and shapes make presentation more difficult.

Many promotional products and trial offers in small packages.

Thanks to increasing cigarette prices, make-your-own products are gaining popularity.



THE PERFECT SOLUTION

Our POS-τ Pushfeed Systems with dividers ensure the permanent presentation of – all products



THE RESULT

Better visibility of products

Easy to take products out

Improved focus thanks to the tidier shelf appearance

Optimal use of space

More sales

Content


Roll-Your-Own (RYO)	Page	38	-	39
Cigarillos and cigars	Page	40	-	41
Make-Your-Own (MYO)	Page	42	-	44
Sisha	Page	45	-	46

OTP

Roll-Your-Own (RYO)



Pouches, presented vertically



Pouches, presented horizontally



Presentation Solution for RYO-products, fitting all standard shelves. Great stability and optimal visibility of the products, for small and slim packaging.

The **rounded front anchor** improves the product presentation and is gentle on your pouches.

For this presentation you need in addition to the pushfeed:

- Adapter-T Rail
- Guiderail, width 34mm
- Divider, height 60mm

These are described in the chapter **system components**.

Pushfeed with 56mm front stop and labelholder, width 51mm, height 80mm, depth 35mm, light gray

With rounded front anchor W 55 x H 56mm for portrait and soft packaging. Labelholder for labels W 49 x H 80mm.

Max. capacity mm	Force Newton	PU	Item No.
560	4-8	60	30004528

For the horizontal presentation of pouches you need in addition to the pushfeed:

- Adapter-T Rail
- Guiderail, width 34mm
- Divider, height 60mm


These are described in the chapter **system components**.

Pushfeed with 35mm front stop, width 40mm, height 75mm, depth 35mm, light gray

With front anchor W 39 x H 35mm, front gap 22mm.

Max. capacity mm	Force Newton	PU	Item No.
560	4-8	100	30004531

Papers



For the presentation of papers you need in addition to the pushfeed:

- Adapter-T Rail
- Guiderail, width 19mm
- Divider, height 35mm with high front stop

These are described in the chapter **system components**.


Pushfeed, width 15mm, height 68mm, light gray

With front anchor W 17 x H 5mm, without front stop.

Max. capacity mm	Force Newton	PU	Item No.
340	1.5	203	30004446

OTP


Cigarillos and cigars



Presentation solutions for cigars and cigarillo. stable presentation, with Pushfeeds and di-
viders.


Cigarillos, large packages

For the presentation of **cigarillos with a width from 54mm** you need in addition to the
pushfeed:
- Adapter-T Rail
- Guiderail, width 34mm
- Divider, height 60mm
These are described in the chapter **system components**.



**Pushfeed with 35mm front stop, width 40mm, height 70mm, depth
25mm, light gray**

Max. capacity mm	Force Newton	PU	Item No.
560	4-8	100	30006932



Labelholder E049, transparent


Compatible with pushfeed with width 28, 40 and 44mm, with insert for labels (W 49 x H
80mm).

Height mm	Width mm	PU	Item No.
80	51	60	30005521

OTP

Cigarillos and cigars

Cigarillos, narrow packages



For the presentation of **cigarillos with a width from 36mm** you need in addition to the pushfeed:

- Adapter-T Rail
- Guiderail, width 34mm
- Divider, height 60mm


These are described in the chapter **system components**.

Pushfeed with spacer, width 28mm, height 70mm, depth 40mm, light gray

Spacer 31 x 62 x 19mm decreases the **front gap to 5mm**, such that the last package of slim products stays safely in the pushfeed. With front stop W 20 x H 25mm. **For all products from 36mm width.**

Max. capacity mm	Force Newton	PU	Item No.
390	2	90	30004352

Cigars



Cigar Tube Presenter, transparent

With 2 facings consisting of divider and pushfeed. To clip on Adapter-T Rail.

Dimensions WxDxH mm	No. of Facings	PU	Item No.
52x210x125	2	3	30001424


Other measurements upon request.

OTP

Make-Your-Own (MYO)

Presentation solution for MYO products, suitable for all standard shelf systems. Upright, secured position, more stability and optimum visibility for round and large packages.

Tins



For the presentation of MYO-Tins you need in addition to the pushfeed:

- Adapter-T Rail
- Guiderail, width 34mm
- Divider, height 60mm

These are described in the chapter **system components**.

Pushfeed with 25mm front stop and labelholder, width 51mm, height 80mm, depth 25mm, light gray

Labelholder for place reservation system. For labels W 49 x H 80mm. Front gap 22mm.

Max. capacity mm	Force Newton	PU	Item No.
390	2	120	30004498



Tobacco Tins

Presenter for tobacco tins, 2 facings for 3 tins,

consisting of:

- 1 x Presenter, transparent, inclined
- 3 x Guiderails
- 2 x Rubber feets

No. of Facings	Depth mm	Width mm	PU	Item No.
2	316	214	1	30001386
3	316	318	1	30001387


Other measurements upon request.

Zip-Bags



Tobacco Zipbag Presenter for 145g packs, transparent

Presenter for tobacco pouches, 145g.




Height mm	Depth mm	Width mm	PU	Item No.
140	332	229	28	30001459

Other measurements upon request.

OTP

Make-Your-Own (MYO)

Gravity solution for MYO



MYO sliding shelf with VARUS

Frontfacing by gravity

The special feature of POS-T VARUS gliding profiles ensures that buckets, cans and other MYO products slide to the front of the shelf even at a glide inclination. The special construction allows a overhang of 40mm - more cans, buckets and other MYO products can be presented one behind the other.

Designed for shelves with a depth of 380mm.

The set for a complete shelf consists of


- Tilt tray, transparent.
- POS-T VARUS gliding profiles
- POS-T Divider height 60mm

All lengths and widths on request.

Dimensions WxDxH mm	No. of Facings	Width mm	Item No.
645x420x124	6	645	30006942
995x420x124	8	995	30006944

OTP Sisha

Shisha in cartons



Flavoured shisha tobacco is becoming more and more popular. At the same time, the packaging of shisha tobacco is adapting more and more to the packaging of conventional cigarettes - and this is good for the presentation, because the products now also find space where they did not fit in before: on the tobacco shelf!

Depending on the system, dividers and adapter profiles are needed in addition to the pushfeed.

You can find many more presentation solutions and information in the chapter "RMC".

Pushfeed with 25mm front stop, width 40mm, height 70mm, depth 25mm, light gray

With POS-T Newton label 2N. Front gap 22mm.

Max. capacity mm	Force Newton	PU	Item No.
390	2	140	30004503

POS-T Duplex XL for a double-level presentation

Set for 20 facings consists of the following components:


- 11 x Duplex XL Divider
- 40 x Clip-on for POS-T Duplex XL Divider
- 10 x Pushfeeds for upper level
- 10 x Pushfeeds for bottom level

Required shelf distance: 210mm. Continuously width flexible 56 - 76mm.

No. of Facings	Depth mm	PU	Item No.
20	265	1	30009526
20	375	1	30009475

Other depths and versions on request.

Shisha Tins




Pushfeed with 25mm front stop, width 40mm, height 70mm, depth 25mm, light gray

With front stop W 39 x H 25mm. Front gap 16mm.

Max. capacity mm	Force Newton	PU	Item No.
390	2	140	30004494

OTP

Sisha




U-Channel F008, width 59mm, height 40mm, light gray

For product widths up to 56mm.

Length mm	Height mm	Width mm	Max. capacity mm	PU	Item No.
363	40	59	336	280	30003996

Other measurements upon request.




U-Channel F010, width 65mm, height 40mm, light gray

For product widths up to 62mm.

Length mm	Height mm	Width mm	Max. capacity mm	PU	Item No.
363	40	65	336	250	30003685

Other measurements upon request.



U-Channel F012, width 72mm, height 40mm, light gray

For product widths up to 69mm.

Length mm	Height mm	Width mm	Max. capacity mm	PU	Item No.
363	40	72	336	220	30003693

Other measurements upon request.



Presentation solutions for

NGP

NEXT GENERATION PRODUCTS

PRESENTATION SOLUTIONS FOR NGP AT A GLANCE



Tiny little crafty bees
know how to construct something great
– We do too! The new POS-T Honeycomb
Channel for chewing tobacco



All nicotine levels on the board
– are presented more elegantly.
Only with the POS-T Mini SloMo.



Better from a bird's eye view
– high stacks of caps are a highlight
on the shelf.



Double the facings
without additional shelf space using
the POS-T Duplex Pushfeed.



For steam engines
– the perfect presentation of
your devices using the universal
POS-T Pushfeed System.



Eye-catching e-shishas
– as a display solution or
for the shelf



THERE IS SPACE – NGP BELONGS ON THE SHELF!

INTERGENERATIONAL CONFLICT

A new generation of nicotine products is on the rise. Nicotine is now steamed, heated up and chewed. There is only one problem.

“Old” cigarettes are blocking the way for the new generation – their way onto the shelves. The space is already quite scarce. And classic cigarettes are still in an economically profitable place, so a reduction of the RMC range hasn’t been considered. But is a confusing counter display the answer?

No! It’s time for the younger generation to rebel. It’s time to put the older generation to bed and make an entrance.

Using a horizontal presentation in the new POS-T Duplex Pushfeed, you can double your product facing on your current shelf thanks to an additional level – the perfect space for all slow-selling RMC!

OVERVIEW OF THE NUMBERS

- + 50% more products displayed on the shelf using the same number of shelves thanks to the new POS-T Duplex Pushfeed.
- + 100% You can cater to all tastes and nicotine levels on the same shelf if you change your product placement.

THE EXPERTS AT THE POINT OF SALE!

We are your global partner when it comes to selling tobacco goods. Regardless of whether you are selling king-size, big or small packs, round chewing tobacco tins or modern e-cigarettes in a cap or liquid system. And regardless of whether the presentation is horizontal or vertical – all products are staged optimally. Furthermore, we have all the answers to the problems of the future – changing legal requirements and the reduction of available shelf space. We have many years of experience, meaning we are reliable specialists in your market segment.

Contact us:

Customer Service Tobacco
+49 5222 36965-696
Team-Tobacco@postuning.com



THE CATEGORY PROBLEMS

Current shelving systems are normally not extendible and are used for classic cigarettes.

Next generation products have no space on the shelf.

The result is a scrambled-looking counter display.

Next generation products are not acknowledged as their own category.

The threat of products being stolen in the till area is high.



THE PERFECT SOLUTION

With the POS-T Duplex Pushfeed, you can create space on the shelf without reducing the range.



THE RESULT

There is now space on the shelf for new NGPs.

NGPs are placed in their own category and posed as the centre of attention.

Shop-owners are prepared to incorporate more products into their range.

Content



Liquid Caps	Page	52	-	57
Liquid bottles	Page	58	-	59
Vapour equipment	Page	60	-	60
E-Shishas disposable	Page	61	-	63
Oral Tobacco tins	Page	64	-	68

NGP

Liquid Caps



Staying presentation



Caps and pods for e-cigarettes are available in many different flavours and nicotine strengths. Even more important is a good product presentation on the shelf. In addition to a secure stand, easy removal and filling, orientation and planogram organisation is becoming increasingly important.

Liquid Caps and Pods must be on the shelf.
The problem: Most of the packs are thinner than conventional cigarettes. With the POS-T pushfeed for caps and pods you solve this problem. The front clamping area between the front stop and the pusher is only 16 mm and therefore suitable for all pack depths.

For this presentation you need in addition to the pushfeed:
- Adapter-T Rail
- Divider, height 60mm
These are described in the chapter **system components**.

Pushfeed with spacer, width 28mm, height 70mm, depth 40mm, light gray

Spacer 31 x 62 x 19mm decreases the **front gap to 5mm**, such that the last package of slim products stays safely in the pushfeed. With front stop W 20 x H 25mm. **For all products from 36mm width.**


Max. capacity mm	Force Newton	PU	Item No.
390	2	90	30004352

Pushfeed with 35mm front stop, width 40mm, height 70mm, depth 25mm, light gray

With small front gap of 16mm an POS-T Newton label 2N.

Max. capacity mm	Force Newton	PU	Item No.
390	2	140	30006922

Sideway presentation



A sideway presentation of Caps and Pods has many advantages. It offers space for all flavours with different nicotine strengths.

Our tip: For a clear orientation and brand message, present one flavour with the front facing forward. The other nicotine strengths can be presented lateral to save space.

For the sideway presentation caps and pods you need in addition to the pushfeed:

- Adapter-T Rail
- Guiderail, width 19mm
- Divider, height 60mm

These are described in the chapter **system components**.

POS-T Mini SloMo, with damper, width 19mm, height 67mm, depth 40mm, light gray



With front anchor W 17 x H 5mm without front stop. Only with use of dividers. Delay the advancement of very small and light products and thus prevents noise or tilting. For products from 19 to 45mm width. Also for stacked products.

Max. capacity mm	Force Newton	PU	Item No.
540	4	144	30006340

NGP

Liquid Caps

Lying presentation



Optimal space utilization of your Liquid Caps and Pods.

With a lying presentation you can stack up to 5 packs on top of each other. Make full use of not only the depth, but also the height.
Perfect handling through controlled slow forward movement with SloMo Pushfeed.

For the lying presentation of liquid caps and pods you need in addition to the pushfeed:
- Adapter-T Rail
- Guiderail, width 34mm
- Divider, height 60mm
These are described in the chapter **system components**.

Pushfeed with damper, width 40mm, height 75mm, depth 40mm, light gray

Damped pushfeed with universal strength for all stacked tobacco and NGP products from 54mm width. Without front stop, products stop at the dividers. Front gap 22mm.



Max. capacity mm	Force Newton	PU	Item No.
560	6	100	30006522

Labelholder E049, transparent

Compatible with pushfeed with width 28, 40 and 44mm, with insert for labels (W 49 x H 80mm).

Height mm	Width mm	PU	Item No.
80	51	60	30005521

Double level presentation, lying



Space for all flavours!

With the POS-T Duplex Pusher you can double your shelf space for liquid caps and pods while maintaining the same shelf space. This creates space for all flavours with all nicotine strengths - without reducing your RMC range.

- For all product widths from 56 - 78mm
- Up to 12 products fit in one facing
- No conversion of existing rack systems necessary
- NGP - Displays in the counter area can be reduced

POS-T Duplex Pusher for a double-level presentation

Set for 20 facings consists of the following components:

- 11 x Divider
- 10 x middle shelves
- 20 x SloMotion Pushfeeds

For product widths from 56-76mm.



No. of Facings	Depth mm	PU	Item No.
20	310	1	30006906
20	395	1	30006847

Other depths and versions on request.

NGP

Liquid Caps

Double level presentation, staying



POS-T Duplex S

One system - many options

Opportunities and benefits at a glance:

- 100% compatible with other POS-T Pushfeeds
- Simple „one-click“ installation from the shelf front
- Continuously width flexible (45 - 63mm)
- Many presentation options with one system

POS-T Duplex S for a double-level presentation

Set for 12 facings consists of the following components:

7 x Divider


6 x lower level with Pushfeeds

6 x upper level with Pushfeeds

For product widths from 45-63mm. Maximum product height of the lower level = 65mm (may vary depending on product depth).

No. of Facings	Depth mm	PU	Item No.
12	255	1	30011483
12	305	1	30011484
12	355	1	30011485

Other depths and versions on request.



Divider Duplex D110, with front fixation, height 110mm, transparent

Middle Divider of a Duplex series. Centre level height 72mm.


With variable lengths, can be individually adjusted within 25mm grid. The shelves can be used flexibly with different shelf depths. Front fixation 15mm high.

Divider #30011111 and 30011619 already shortened.

Length mm	Height mm	PU	Item No.
255	110	26	30011619
255-305	110	22	30011111
255-355	110	26	30011110

NGP

Liquid Caps




Divider Duplex D110, with front fixation, height 110mm, transparent

Divider for **left end** of a Duplex series. Centre level height 72mm.

With variable lengths, can be individually adjusted within 25mm grid. For flexible use with different shelf depths. Front fixation 15mm high.

Divider #30011267 and 30011620 already shortened.

Length mm	Height mm	PU	Item No.
255	110	40	30011620
255-305	110	40	30011267
255-355	110	26	30011264




Divider Duplex D110, with front fixation, height 110mm, transparent

Divider for **right end** of a Duplex series. Centre level height 72 mm.

With variable lengths, can be individually adjusted within 25mm grid. For flexible use of articles with different shelf depths. Front fixation 15mm high.

Divider #30011268 and 30011621 already shortened.

Length mm	Height mm	PU	Item No.
255	110	40	30011621
255-305	110	40	30011268
255-355	110	26	30011265




Duplex S Pushfeed

Pushfeed System for the **upper duplex levels**.

With pre-installed **F003 guiderail** and mounting clip.

Length mm	Force Newton	PU	Item No.
255	1.5	56	30011615
310	1.5	56	30011336
355	1.5	56	30011617



Duplex S Pushfeed

Pushfeed System for the **upper duplex levels**.


With pre-installed **F003 guiderail**.

Length mm	Force Newton	PU	Item No.
255	1.5	56	30011616
310	1.5	56	30011337
355	1.5	56	30011618

NGP

Liquid bottles

Liquids, staying presentation



Tilt-resistant front presentation of small liquid bottles (without or with outer carton).

For the presentation of staying liquids you need in addition to the pushfeed:


- Adapter-T Rail
 - Guiderrail, width 19mm (only for bottles without carton)
 - Divider, height 60mm
 - For round products, it is recommended to fix the dividers at the back of the shelf on an Adapter-T Rail. For this the dividers must be longer than the guiderrail.
- These are described in the chapter **system components**.

Pushfeed, width 15mm, height 68mm, light gray

With front anchor W 17 x H 5mm, without front stop.

Max. capacity mm	Force Newton	PU	Item No.
340	1.5	203	30004446

Liquids, lying presentation



Perfectly showcased, perfectly presented - the horizontal presentation of liquids in cartons also fits between very narrow shelf spaces. Due to the controlled slow feed with the POS-T SloMo Pushfeed, the products do not fall off the shelf.

For the presentation of lying liquids you need in addition to the pushfeed:

- Adapter-T Rail
 - Guiderrail, width 19mm
 - Divider, height 35mm with narrow front stop
- These are described in the chapter **system components**.

POS-T Mini SloMo, with damper, width 19mm, height 67mm, depth 40mm, light gray

With front anchor W 17 x H 5mm without front stop. Only with use of dividers.

Delay the advancement of very small and light products and thus prevents noise or tilting. For products from 19 to 45mm width. Also for stacked products.

Max. capacity mm	Force Newton	PU	Item No.
540	4	144	30006340


NGP

Liquid bottles

Liquid display



Presentation solution for **liquids** consisting of the Pushfeed- and Divider-System, fitting all standard shelves.




Liquid display, transparent

With 8 or 12 facings consisting of divider and pushfeed. For use with bottle and/or box packaging.

Dimensions WxDxH mm	No. of Facings	PU	Item No.
196x285x73	8	2	30001173
196x360x73	8	2	30001174
293x285x73	12	2	30001175
293x360x73	12	2	30001176

Other measurements upon request.



Stacked display for liquids, transparent

With 10 facings consisting of divider and pushfeed. For use with horizontally presented box packaging.

Dimensions WxDxH mm	No. of Facings	PU	Item No.
315x374x79	10	18	30001805

Other measurements upon request.


NGP

Vapour equipment

Divices and starterkits



For the presentation of devices and starterkits you need in addition to the pushfeed:
- Adapter-T Rail
- Divider, height 60mm
These are described in the chapter **system components**.



Pushfeed with 35mm front stop, width 40mm, height 75mm, depth 35mm, light gray

With front anchor W 39 x H 35mm, front gap 22mm.

Max. capacity mm	Force Newton	PU	Item No.
560	4-8	100	30004531

E-Shisha pop-up display



Optimal presentation solution for e-shisha products:

- more attention and order for your E-Shisha products
- optimal use of space
- more varieties in the same space
- quick and easy installation by simply plugging together
- perfect product presentation through optional pushfeeds



E-Shisha pop-up display, for 30 facings, transparent

Pop-up display (Item. no. 30010315) with 3 presentation levels and pre-installed Adapter-T Rails. For optimal product presentation, please order separately the **pushfeed set** (Item no. 30010429, set contains pushfeeds, dividers and guiderails).

External dimensions E-Shisha pop-up display: W 312 x D 328 x H 380mm

Details	PU	Item No.
Pop-up Display	1	30010315
Set Pushfeeds	1	30010429


E-Shisha, staying presentation



For the presentation of E-Shishas you need in addition to the pushfeed:

- Adapter-T Rail
- Divider, height 60mm

These are described in the chapter **system components**.



Pushfeed, width 15mm, height 68mm, light gray

With front anchor W 17 x H 5mm, without front stop.

Max. capacity mm	Force Newton	PU	Item No.
340	1.5	203	30004446

NGP

E-Shishas disposable



Pushfeed with labelholder, width 28mm, height 75mm, light gray

With labelholder for labels W 26 x H 63mm. With front anchor W 17 x H 5mm, without front stop. For guiderail F001.


Max. capacity mm	Force Newton	PU	Item No.
340	1.5	100	30010381

E-Shisha, lying presentation



For the presentation of e-shishas, lying on top of each other, you will need, in addition to the SloMo pushfeed:

- Guiderail F001 (*madatory for dampened pushfeeds*)
 - Adapter-T Rail
 - Divider, height 60 or 100mm depending on stack height (pushfeed height 67mm)
- These are described in the chapter **system components**.



POS-T Mini SloMo, with damper, width 19mm, height 67mm, depth 40mm, light gray

With front anchor W 17 x H 5mm without front stop. Only with use of dividers. Delay the advancement of very small and light products and thus prevents noise or tilting. For products from 19 to 45mm width. Also for stacked products.

Max. capacity mm	Force Newton	PU	Item No.
540	4	144	30006340

NGP

E-Shishas disposable



Pushfeed with labelholder, width 28mm, height 114mm, light gray

With labelholder for labels W 26 x H 106mm. With front anchor W 17 x H 5mm, without front stop. For guiderails F001.



Max. capacity mm	Force Newton	PU	Item No.
340	4-5	100	30010382

NGP

Oral Tobacco tins



Honeycomb channel



Bees are smart!

Due to the special hexagon construction of their honeycombs, bees not only make optimum use of the available space - they also achieve the highest possible stability. And as the saying goes, we should learn from the animals.

With the POS-T honeycomb channel for your oral tobacco tins there are no limits. Flat or high constructions - everything is possible. Make optimum use of the available space and present your tins in the best possible way. For all cans with a diameter of 69 - 72mm.

Also suitable for standard shelf spacing of 127mm.


POS-T Honeycomb Channel for oral tobacco tins

A set for 9 facings consists of the following components:
 - 9 x honeycomb channels with integrated pushfeed

No. of Facings	Depth mm	Item No.
9	357	30006918

Other depths and versions on request.


Accessories for honeycombs



Honeycomb Faceplates

Optional faceplates can be installed on the lowest level of the honeycombs. The faceplates are simply attached on the Adapter-T Rail.

Individual printing on the faceplates ensures even more attention. We are happy to advise you.



PU	Item No.
4	30007982

Honeycomb side walls

If you build your honeycombs higher than 2 levels, you need one set of side walls per level.

- Set consists of:
- left side wall
 - right side wall



Depth mm	Item No.
340	30007452


NGP

Oral Tobacco tins

Modular stacking channels



The presentation of round chewing tobacco packaging can be a real challenge. Stacking is difficult, there is no clear overview and there is certainly a high risk of the products falling over. The perfect solution are modular, stackable channels. They can be easily integrated into existing shelving systems and make optimum use of the space. This form of product presentation provides quick orientation for both the retailer and the shopper. The products can be presented standing up and lying, providing an optimal overview. The integrated pushfeed makes it easy to remove and filling the products, without the packagings are tipping over or turning away. Truly an "all-round" talent.




Oral-Tobacco-Channel stackable, 68 -73mm diameter, transparent

Stackable pushfeed channel for all oral tobacco tins. Easy installation on all POS-T Adapter-T Rails.

Any number of channels can be stacked on top of each other.

For the upper end of a stack we recommend the channel, item no. 30006548.

Dimensions WxDxH mm	Force Newton	PU	Item No.
81x360x80	2	6	30006549




Oral-Tobacco-Channel for upright tins, 68 -73mm diameter, transparent

Pushfeed channel for all oral tobacco tins.

This channel can be easily installed on all POS-T Adapter-T Rails, or can be used as an upper end channel for the stackable channels, item no. 30006868 and 30006549.

Dimensions WxDxH mm	Force Newton	PU	Item No.
81x330x76	2	6	30006548




Stackable Oral-Tobacco-Channel for horizontal cans with 68 -73mm diameter and max. 30mm depth, transparent

Lower pushfeed channel for a horizontal presentation of oral tobacco tins.

Only in combination with pushfeed channel, item no. 30006548.

Dimensions WxDxH mm	Force Newton	PU	Item No.
81x330x46	2	6	30006868

NGP Oral Tobacco tins





Oral-Tobacco Channel for upright tins, stackable, 68 -73mm diameter, white

Stackable pushfeed channel for all oral tobacco tins. Easy installation on all POS-T Adapter-T Rails.

Dimensions WxDxH mm	Force Newton	PU	Item No.
80x297x166	2	5	30011247

Further configurations available on request.

Rolling presentation



Shelf presenter for round oral tobacco tins

Space-saving presentation, always in front - the roll presenter for round oral tobacco tins.


By tilting slightly, the tins roll to the front of the shelf. Each presenter has 3 facings, for example for different nicotine strengths.

With the optional adhesive flap holder for a frontally presented tin, the orientation and staging is also given.

Dimensions WxDxH mm	Max. filling quantity	PU	Item No.
303x91x111	3 x 4 tins	2	30006867
373x91x117	3 x 5 tins	2	30006869

NGP

Oral Tobacco tins



Communication holder for roll presenter

For adhesive mounting on the front of the roll presenter. For communication labels W 88 x H 30mm.

Dimensions WxDxH mm	PU	Item No.
88x30	6	30007324



Presentation solutions for

EU TPD2

TOBACCO PRODUCT REGULATION



High-stacked
– Horizontal presentation
with POS-T SloMo Pushfeeds

100% brand showcasing
– with the POS-T Brandline Profiles,
your brands are in the limelight.



No game-playing
– with the POS-T Product Cards,
sold in their millions, better brand
focus is not a game of chance.



TOBACCO IN TRANSITION

TPD2 – THE NEW TOBACCO LAW

GET YOUR OWN PICTURE

There was outrage in 2014 when the European parliament passed the regulation on tobacco products. The TPD2 law changed the whole tobacco market. Even today, we are not used to the images used as a warning. The reasons why you should consider a change of tobacco presentation at the point-of-sale are numerous. An impressive overall image and better focus on brand through the mess of shocking images are only two examples.

With our solutions, the lighting system for example, you can steer the attention towards your brand – whilst complying with all legal stipulations.

OVERVIEW OF THE NUMBERS

- ONLY **35%** of brand communication remains the same for a normal cigarette display. Better, however, is...
- ...**100%** the visibility of your brand thanks to a stacked display.
- ...**100%** focus on the brand thanks to the correct lighting provided by the brandline profile.

THE EXPERTS AT THE POINT OF SALE!

We are your global partner when it comes to selling tobacco goods. Regardless of whether you are selling king-size, big or small packs, round chewing tobacco tins or modern e-cigarettes in a cap or liquid system. And regardless of whether the presentation is horizontal or vertical – all products are staged optimally. Furthermore, we have all the answers to the problems of the future – changing legal requirements and the reduction of available shelf space. We have many years of experience, meaning we are reliable specialists in your market segment.

Contact us:

Customer Service Tobacco
+49 5222 36965-696
Team-Tobacco@postuning.com



THE CATEGORY PROBLEMS

Up to 70% of cigarette displays must be labelled with warnings and shocking images.

Finding the desired product then becomes significantly more difficult.



THE PERFECT SOLUTION

Presentation solutions from POS TUNING have been specially designed for the characteristics of a TPD2 cigarette shelf.



THE RESULT

Better visibility of brands

Shorter search times for shoppers and vendors

With the same level of comfort – easy to take out and easy to fill

Content


lying presentation	Page	74	-	74
Brand Illumination Profile	Page	75	-	77
Product Cards	Page	78	-	78
Faceplate with label sleeve	Page	79	-	79

TPD2

lying presentation



King Size and Big Packs



Show your products from their best side
 Due to a horizontal presentation, the visibility is exclusively on the brand.
 Perfect handling through controlled slow forward movement with SloMo Pushfeed.

For this presentation you need in addition to the pushfeed:
 - Adapter-T Rail
 - Guiderail, width 34mm
 - Divider, height 100 or 12mm
 These are described in the chapter **system components**.

For product widths over 54mm.

Pushfeed with damper, width 44mm, height 110mm, depth 40mm, light gray

Damped pushfeed with universal strength for all stacked tobacco and NGP products from 54mm width. Without front stop, products stop at the dividers. Front gap 22mm.

Max. capacity mm	PU	Item No.
540	100	30004409


TPD2

Brand Illumination Profile



With the aid of a special shelf rail, an LED light strip and a front riser, an illuminated space is created, which only highlights the brand at the bottom of the pack. The remaining parts of the package are obscured by a shadow.

LED Lighting Profiles



Brand Illumination Rail E003 with FlexLED, self-adhesive, silver gray


Highlight the brand at the bottom. Suitable for installation on metal, glass or wood shelves. Alternatively, the profile can be fitted to existing Adapter-T Rails of POS TUNING. Dividers fitted on this rail must be shorter by 25mm than the ones used with other adapter rails. Integrated connection cable with a length of 700mm.

For power collector, 6-way splitter or extension cable

Length mm	Shelf width mm	Nominal Width mm	PU	Item No.
595	600	600	10	30005099
645	650	650	10	30004785
895	900	900	10	30005100
995	1,000	1,000	10	30001196
1,245	1,250	1,250	10	30005101
1,325	1,330	1,330	10	30005102

Other measurements upon request.

Power supply via bus bar



Enables a simple, easy and fast installation with the POS TUNING FlexLED lighting system.

Bus bar, self-adhesive, dark gray

With cap.

Length mm	Depth mm	Width mm	PU	Item No.
900	6.2	20	1	30005086
1,200	6.2	20	1	30005869

Other measurements upon request.



Power collector with 1-fold socket, 12/24V, silver

Height mm	Depth mm	Width mm	PU	Item No.
20	12	58	1	10000155

TPD2

Brand Illumination Profile



Feeder for bus bar

With ESP plug for power supply unit 24 Volt.

Length mm	PU	Item No.
2,500	1	10000403


Power supply with cable distributor



Extension cable FlexLED

Allows extension of cable connection between splitter and FlexLED cable.

Length mm	PU	Item No.
2,000	200	10000641



6-way splitter for FlexLED system, magnetic

Multiple splitter for FlexLED to expand to 6 connecting sockets.

Length mm	No. of connections	PU	Item No.
150	6	200	10000401

Power Supply



The right power supplies for your application.

Power supply 24V

For the power supply of LED-lighting elements. For connection to feeder for bus bar or 6-way splitter. Cable length 2000mm. For max. 5 meters LED.

Note: Do not install the power supply units in closed cabinets - open air circulation must be ensured.

max. LED m	Watt W	PU	Item No.
5	30	1	10000763



Build-in power supply 24 V

For the power supply of LED-lighting elements. For connection to feeder for bus bar or 6-way splitter. Cable length 2000mm. For max. 12,5 meters LED.

max. LED m	Watt W	PU	Item No.
12.5	75	1	30004455

TPD2


Brand Illumination Profile

Accessories

Accessories for cable based FlexLED Shelf Lighting System and bus bar system.

Conduit for bracket, magnetic, white


Length mm	Height mm	Width mm	PU	Item No.
200	10	12.5	50	30002073



Fixing clamp for cable, self-adhesive, white

With flexible clamp.

Length mm	PU	Item No.
19	10	10000243



Multiple socket, white

1500mm supply line.

Length mm	PU	Item No.
1,500	1	30000047



Schuko extension cable, white

H05VV-F3G 1,5mm.

Length mm	PU	Item No.
3,000	1	10000224




TPD2

Product Cards




Adapter clips



Adapter-Clip RMC, width 34mm, height 18.5mm, transparent

For front anchor with width of 39mm. For holding product cards with punched hole for cigarette packs.

PU	Item No.
500	30000156




Adapter clip RYO, width 34mm, height 51.8mm, transparent

For front anchor with width of 39mm. For holding product cards with punched hole for RYO pouches.

PU	Item No.
250	30000152

Individually printed Product Cards



Product Card Set, width 56mm, height 89mm, mat, white, printed (4C)

Suitable for all cigarette packs of width 55mm, insertable between Adapter-Clip RMC and Pushfeed.

PU	Item No.
1	10000468

Other measurements upon request.


TPD2

Faceplate with label sleeve



Alternatively to the Product Card the Faceplate features a clear sleeve for use with exchangeable paper labels. It is plugged upon the pushfeed's front (front anchor with 39mm width) and thanks to its integrated hinge it can be easily opened for removal and filling. The Faceplate is self-closing.

Faceplate for Kingsize and Big Packs



TPD2 flap for King Size, with rectangular pocket, fits on front anchor with width of 39mm, white

With hinge. Label sleeve on front side for use with paper labels.

Dimensions WxDxH mm	PU	Item No.
59x5x115	300	30002176



Presentation solutions for the

Plain Packs

PLAIN PACKAGING

death

death

For a better tobacco presentation at the point of sale:
Tel: +49 5222 36965-0, www.postuning.com

For a better tobacco presentation at the point of sale:
Tel: +49 5222 36965-0, www.postuning.com

For a better tobacco presentation at the point of sale:
Tel: +49 5222 36965-0, www.postuning.com


POS Tuning
Plain packaging

POS Tuning
Plain packaging

POS Tuning
Plain packaging

Unobstructed

– with the POS-T Pushfeed System for plain packs, you can find your brand faster and better.



Clear view

– Using a horizontal presentation with the POS-T SloMo Pushfeed Systems, you can get a better overall view.



STANDARDIZED PACKAGING IN THE TOBACCO SECTOR – PLAIN PACKAGING

SHORTEN SEARCH TIME

More and more countries are changing their legislation to stipulate that tobacco products cannot display brands or advertising. France, Australia, Belgium, Turkey and Great Britain are just some examples.

The result: Plain packaging at the point of sale – normally in olive-brown. It's not pretty and also makes finding products more difficult for customers and vendors.

Our solutions for the point of sale ensure that your brand gets attention and the best visibility possible on the tobacco shelf in spite of this.

OVERVIEW OF THE NUMBERS

4 x of the brand text is seen by the customer and vendor in a stacked, horizontal display

+ 100% Legibility of the brand text means you can find products faster

THE EXPERTS AT THE POINT OF SALE!

We are your global partner when it comes to selling tobacco goods. Regardless of whether you are selling king-size, big or small packs, round chewing tobacco tins or modern e-cigarettes in a cap or liquid system. And regardless of whether the presentation is horizontal or vertical – all products are staged optimally. Furthermore, we have all the answers to the problems of the future – changing legal requirements and the reduction of available shelf space. We have many years of experience, meaning we are reliable specialists in your market segment.

Contact us:

Customer Service Tobacco
+49 5222 36965-696
Team-Tobacco@postuning.com



THE PROBLEM

Plain packs are a challenge when it comes to finding products.

Finding the correct product takes significantly longer than it would with graphic brand logos.

Conventional pushfeed systems often cover the brand text.



THE PERFECT SOLUTION

Pushfeed systems especially for Plain Packs for maximum brand visibility

Horizontal or vertical front presentation

(Alpha)numerical searching aids



THE RESULT

The best view of brand text facilitates the search for the right product

Improved focus thanks to a tidier shelf appearance.

With a horizontal display with POS-T SloMo Pushfeed System.

Know exactly what is where with the POS-T Orientation Clips.

Content

upright presentation	Page	86	-	86
lying presentation	Page	87	-	87
Orientation on the shelf	Page	88	-	88

Plain Packaging

upright presentation




For the presentation of plain packs you need in addition to the pushfeed:

- Adapter-T Rail
- Divider, height 35mm with high front stop

These are described in the chapter **system components**.

King Size and Big Packs




Pushfeed, width 40mm, height 70mm, depth 25mm, light gray

With front anchor W 39 x H 10mm without front stop. Products stop at the divider side stop. With small clamping range of 16mm.

Max. capacity mm	Force Newton	PU	Item No.
390	2	140	30006838

Ultra Slims




For products under 48mm width.

Pushfeed, width 15mm, height 68mm, light gray

With front anchor W 17 x H 5mm, without front stop.

Max. capacity mm	Force Newton	PU	Item No.
340	1.5	203	30004446

Plain Packaging lying presentation




Better legibility of brand texts
Due to the presentation of lying packages in the steck, the visibility lies exclusively on the brand text.

Perfect handling through controlled slow forward movement with SloMo Pushfeed.

For this presentation you need in addition to the pushfeed:
- Adapter-T Rail
- Guiderail, width 34mm
- Divider, height 100 or 120mm
These are described in the chapter **system components**.

King Size and Big Packs



Pushfeed with damper, width 44mm, height 110mm, depth 40mm, light gray

Damped pushfeed with universal strength for all stacked tobacco and NGP products from 54mm width. Without front stop, products stop at the dividers. Front gap 22mm.

Max. capacity mm	PU	Item No.
540	100	30004409

Plain Packaging

Orientation on the shelf

Orientation examples




Numerical orientation



Alphanumeric orientation

Divider clips for orientation



Divider clips for orientation labels

Orientation is that simple!
Simply put it on the shelf and each facing has its own labelholder for an individual orientation hint.

For labels: W 17 x H 26mm
We recommend paper from 160g.
One set contains 25 divider clips.

PU	Item No.
1	30007359




Presentation solutions for the

Dark Market

DISPLAY BAN FOR CIGARETTES



Plug & play
Dark Market shutters from POS TUNING are easily adapted to the existing Pushfeed System.



Stands alone
Dark Market Face-plates are single flaps, attachable in seconds to an existing pushfeeds.



Maximise the use of your drawers!
The POS-T Multi Row allows several varieties in one row. With a single facing, it can easily make 3 or even 4 facings. Maximise your product variety without taking up extra space.



SHELF SOLUTIONS FOR THE DARK MARKET

TIGHTER LEGAL SITUATION

The days of smoking in thrillers, films or TV shows are over. In many countries, there are also laws concerning the point of sale which stipulate that tobacco goods may no longer be visible. This is now known as the "dark market".

Canada, Australia, England, Russia and the Netherlands are only examples of the countries in which a change in legislation concerning the dark markets has already been introduced. And the situation is bleak – dark markets will soon be the reality. Prepare yourself for the future.

With our dark market solutions, you can modify your shelf in just a few seconds – all without tools.

OVERVIEW OF THE NUMBERS

ONLY **10** seconds is all you need to make an existing tobacco shelf 'dark-market-ready'.

100% Adapts to the existing POS-T Pushfeed System. You don't need to change your shelf completely.

THE EXPERTS AT THE POINT OF SALE!

We are your global partner when it comes to selling tobacco goods. Regardless of whether you are selling king-size, big or small packs, round chewing tobacco tins or modern e-cigarettes in a cap or liquid system. And regardless of whether the presentation is horizontal or vertical – all products are staged optimally. Furthermore, we have all the answers to the problems of the future – changing legal requirements and the reduction of available shelf space. We have many years of experience, meaning we are reliable specialists in your market segment.

Contact us:

Customer Service Tobacco
+49 5222 36965-696
Team-Tobacco@postuning.com



THE PROBLEM

Dark Market means the end of visible display for tobacco products.

Instead of displaying products, goods will be stored behind doors or under the counter.

Many retailers or brand manufacturers think, that making existing tobacco gantries compliant with the law may cost a fortune.



THE PERFECT SOLUTION

Dark market solutions from POS Tuning are compatible with your POS-T Pushfeed System.



THE RESULT

Conversion in only a few seconds.

Push-in systems can be removed to restock.

High-value appearance, shutters with printable surface and easy to use.

Content


Flap solutions for shelves	Page	94	-	94
Flap solutions for single facings	Page	95	-	95

Dark Market

Flap solutions for shelves



Flaps and hinges



Dark Market flap with Handle

Flap solution for quick upgrade of existing shelving systems. Opening from top to bottom.

Individually adaptable to your shelf dimensions

Maximum flap height (shelf distance) = 235mm

Maximum flap width = 1.000mm


Set for 10 flaps, consisting of

- 10 flaps
- 10 hinge profiles
- 10 handles
- 1 cutting aid
- 1 carpet knife

Easy to adapt with the divider clip item no. 30007360.

Dimensions WxDxH mm	Colour	PU	Item No.
Indiv./ max. B998 x H235	white	1	30008556
Indiv./ max. B998 x H235	black	1	30008557

Adaptation at the divider



25 divider adaption clips for flaps

Upgrade within seconds.

With the divider adaptation clips you can easily fix your Dark Market flap - without having to convert the shelf at great expense.

We recommend an adaptation clip every 20cm.

1 set contains 25 pieces of divider clips.

PU	Item No.
1	30007360

Dark Market


Flap solutions for single facings



With the faceplates from POS TUNING it is possible to hide single facings on the shelf.

The faceplate is attached to the front of the existing pushfeed and thus the tobacco product behind it is no longer visible. For removal or refilling, the faceplate can simply be opened downwards and closes again automatically.

Faceplates for Kingsize



Dark market flap for King Size, 115 x 59mm

With clip-on hinge on front anchor or divider with max. frontstop height of 25mm.
For facing width 59mm.

Dimensions WxDxH mm	Colour	PU	Item No.
59x5x115	white	25	30008946
59x5x115	black	25	30008947



System solutions for

Shop fitters

THE RIGHT CIGARETTE PRESENTATION



Under the shop counter
– POS-T Lift Solutions and
Pushfeed Systems with
integrated stock display



Simple and clear
– The POS-T LED Profiles
and Cabling Systems for
shelves and shop counters



Especially slim
– POS-T Glass Shelves are
only 8mm thick and increase
the value of the entire shelf.

Maximise the use of your drawers!
The POS-T Multi Row allows several varieties in
one row. With a single facing, it can easily make 3
or even 4 facings. Maximise your product variety
without taking up extra space.



SYSTEM SOLUTIONS – SHOP FITTER'S COMPANION

TOGETHER ON THE FRONT LINE

High-value shop and counter fitting elements are unbeatable together with the pushfeed and function solutions offered by POS TUNING.

Use our expertise - we are your global partner when it comes to tobacco displays at the point of sale. Regardless of whether you are selling king-size, big or small packs, round chewing tobacco tins or modern e-cigarettes in a cap or liquid system. And regardless of whether the presentation is horizontal or vertical – all products are staged optimally.

Furthermore, we have all the answers to the problems of the future – changing legal requirements and the reduction of available shelf space. We have many years of experience, meaning we are reliable specialists in your market segment.

Contact us:

Customer Service Tobacco
+49 5222 36965-696
Team-Tobacco@postuning.com



Flexible to use in all shop fitter system shelves.



Minimal distance between shelves with the POS-T Glass Shelves and Brackets ensures optimal use of shelf space.



Effective functional elements can be integrated into almost all sales equipment.



Content

Shelving parts	Page	102	-	103
Built-in systems for counters	Page	104	-	104
Shelf lighting	Page	105	-	108

Systems for shopfitters

Shelving parts

Whether modernizing or just going for a new look – the glass shelves and brackets are compatible with your existing shelf systems. At low expense and with just a little retrofitting, you can achieve not only a facelift of your shelf units but also add up to 80 % more horizontal space for presentation on the glass shelves.

Glass shelves

Glass shelves with rounded and polished edges.



Glass shelves, transparent

Height mm	Depth mm	Width mm	Item No.
8	380	598	70000093
8	380	648	70000097
8	380	662	70000099
8	380	898	70000118
8	380	998	70000124
10	380	1,246	70000138

Other measurements upon request.

Accessories

Brackets for glass shelves, silver

Made of 2mm steel sheet. With holes for fitting of glass shelves with rubber stoppers. Compatible with all shelving systems.




Depth mm	Hole pitch mm	PU	Item No.
320	30/60	20	70000141
320	35/70	20	70000142
320	40/42	20	70000144
320	45	20	70000148
320	50	20	70000152

Rubber layer for glass shelves

4 pieces per pair of brackets required.

PU	Item No.
40	30000798




Systems for shopfitters


Shelving parts

Bracket adapter

For glass shelves, compatible with all shelving systems.
Delivery incl. screws, without rubber layers for glass shelves.




Depth mm	Hole pitch mm	PU	Item No.
272	20	20	30004871



Security Grip, set of 10 pieces

Mandatory for the end-set, if the holes are wider than 8mm (except for 50mm hole pitch – Tegometall company).

PU	Item No.
1	30000801



Glass truss 5/5 x 16mm, galvanized


For the installation in borehole walls. 2,5mm skew with tappet.

PU	Item No.
5,000	10000367


Systems for shopfitters

Built-in systems for counters

POS-T Stock-Control Lift



Details	Height mm	Depth mm	Width mm	PU	Item No.
left	110	714	58	40	30009500
right	110	714	58	40	30009501
left	110	513	58	60	30011211
right	110	513	58	60	30011212



Grid plate for POS-T Stock-Control Lift


Metal plate with a thickness of 2mm, for attaching the POS-T Stock-Control lift.

Height mm	Width mm	PU	Item No.
80	597	5	70000323

Systems for shopfitters

Shelf lighting

LED Lighting Profiles



Brand Illumination Rail E003 with FlexLED, self-adhesive, silver gray

Highlight the brand at the bottom. Suitable for installation on metal, glass or wood shelves. Alternatively, the profile can be fitted to existing Adapter-T Rails of POS TUNING. Dividers fitted on this rail must be shorter by 25mm than the ones used with other adapter rails. Integrated connection cable with a length of 700mm.

For power collector, 6-way splitter or extension cable

Length mm	Shelf width mm	PU	Item No.
595	600	10	30005099
645	650	10	30004785
895	900	10	30005100
995	1,000	10	30001196
1,245	1,250	10	30005101
1,325	1,330	10	30005102

Other measurements upon request.



Scanning profile S014 with FlexLED, height 39mm, 2-way adjustable, light gray

Scanning rail can be clipped on to shelf fronts with U-lip edge. Lead cable in length 700mm. Compatible with shelves of various manufacturers, such as Linde Ladenbau, Storebest, Tegometall, ITAB, Eden, Lüning Ladenbau.

Length mm	Height mm	Shelf width mm	Nominal Width mm	PU	Item No.
588	39	600	600	10	30005094
638	39	650	650	10	30005095
888	39	900	900	10	30005096
988	39	1,000	1,000	10	30001190
1,238	39	1,250	1,250	10	30005097
1,318	39	1,330	1,330	10	30005098

Other measurements upon request.



Under mount profile E010 with FlexLED, self-adhesive


For installation under metal, glass, wood or plastic-shelf boards. Includes an integrated connection cable in 700mm length.

Length mm	Shelf width mm	Nominal Width mm	PU	Item No.
570	600	600	10	30005108
620	650	650	10	30005109
870	900	900	10	30005110
970	1,000	1,000	10	30005111
1,220	1,250	1,250	10	30005112
1,300	1,330	1,330	10	30005113

Other measurements upon request.

Systems for shopfitters

Shelf lighting




Under mount profile E010 with FlexLED, magnetic

For installation under metal shelves, includes an integrated connection cable in 700mm length.

Length mm	Shelf width mm	Nominal Width mm	PU	Item No.
570	600	600	10	30005103
620	650	650	10	30005104
870	900	900	10	30005105
970	1,000	1,000	10	30001197
1,220	1,250	1,250	10	30005106
1,300	1,330	1,330	10	30005107

Other measurements upon request.

Power supply via bus bar



Enables a simple, easy and fast installation with the POS TUNING FlexLED lighting system.

Bus bar, self-adhesive, dark gray

With cap.

Length mm	Depth mm	Width mm	PU	Item No.
900	6.2	20	1	30005086
1,200	6.2	20	1	30005869

Other measurements upon request.



Power collector with 1-fold socket, 12/24V, silver

Height mm	Depth mm	Width mm	PU	Item No.
20	12	58	1	10000155



Feeder for bus bar

With ESP plug for power supply unit 24 Volt.

Length mm	PU	Item No.
2,500	1	10000403

Systems for shopfitters

Shelf lighting

Power supply with cable distributor

Conventional installation of POS TUNING Flex LED lighting systems.

Extension cable FlexLED

Allows extension of cable connection between splitter and FlexLED cable.

Length mm	PU	Item No.
2,000	200	10000641

6-way splitter for FlexLED system, magnetic

Multiple splitter for FlexLED to expand to 6 connecting sockets.

Length mm	No. of connections	PU	Item No.
150	6	200	10000401

Power supplies

The right power supplies for your application.

Power supply 24V

For the power supply of LED-lighting elements. For connection to feeder for bus bar or 6-way splitter. Cable length 2000mm. For max. 5 meters LED.

Note: Do not install the power supply units in closed cabinets - open air circulation must be ensured.

max. LED m	Watt W	PU	Item No.
5	30	1	10000763

Build-in power supply 24 V

For the power supply of LED-lighting elements. For connection to feeder for bus bar or 6-way splitter. Cable length 2000mm. For max. 12,5 meters LED.


max. LED m	Watt W	PU	Item No.
12,5	75	1	30004455

Systems for shopfitters

Shelf lighting

Accessories

Accessories for cable based FlexLED Shelf Lighting System and bus bar system.



Conduit for bracket, magnetic, white

Length mm	Height mm	Width mm	PU	Item No.
200	10	12.5	50	30002073



Fixing clamp for cable, self-adhesive, white

With flexible clamp.

Length mm	PU	Item No.
19	10	10000243



Multiple socket, white

1500mm supply line.


Length mm	PU	Item No.
1,500	1	30000047



Schuko extension cable, white

H05VV-F3G 1,5mm.

Length mm	PU	Item No.
3,000	1	10000224




An overview

System components

DIVIDERS, MOUNTING PROFILES AND ACCESSORIES




Attention to detail
The POS-T Dividers are not just “plastic sheets”, they are a system with many intelligent details.



Stoppers
POS-T Adapter Profiles for all conventional shelf types and sizes.



Lane assistant
POS-T Guiderails ensure that even products likely to fall stay in place.



PRACTICAL UTENSILS – SYSTEM COMPONENTS

EVERYTHING YOU NEED IS INCLUDED



POS-τ Adapter-T Profiles

POS-τ Adapter-T Profiles fix the front or furthest back dividers or pushfeed systems on all customary shelf surfaces. They adapt optimally to the respective goods holder. Transparent profiles ensure a clear view of the product.



POS-τ Guiderails

POS-τ Guiderails reduce friction between the shelf surface and the product. This not only protects the product but also makes restocking easier.



POS-τ Dividers

POS-τ Dividers ensure clear structures and help the shopper and vendor find products. Search and access times are reduced and the rate of impulse purchases is quantifiably increased. Depending on the product and use, we offer dividers at heights of 35, 60, 100 or 120mm and at lengths from 80 to 580mm.

OVERVIEW OF THE NUMBERS

+ 93% of all shoppers questioned in a survey indicated that a tidy and well-organised shelf is the most important criterion for the place of purchase when making a decision.

+ 40% of sales assistants' time is used to fix the shelf and "selling is a secondary task" and taking care of the shelf is very demotivating.

THE EXPERTS AT THE POINT OF SALE!

We are your global partner when it comes to selling tobacco goods. Regardless of whether you are selling king-size, big or small packs, round chewing tobacco tins or modern e-cigarettes in a cap or liquid system. And regardless of whether the presentation is horizontal or vertical – all products are staged optimally. Furthermore, we have all the answers to the problems of the future – changing legal requirements and the reduction of available shelf space. We have many years of experience, meaning we are reliable specialists in your market segment.

Contact us:

Customer Service Tobacco
+49 5222 36965-696
Team-Tobacco@postuning.com

Content


Adapter-T Rails	Page	114	-	122
Divider	Page	123	-	131
Guiderails	Page	132	-	133
Complete shelf equipment	Page	134	-	135
Flexible shelf equipment	Page	136	-	136

System components

Adapter-T Rails



Adapter-T Rails for fixation of System Elements (e.g. dividers and pushfeeds) on standard shelving units. Depending on the shelf type, installation of the Adapter-T Rails is done easily by either sticking, plugging, clipping or using a magnet to attach to shelf.




System components

Adapter-T Rails

Without lower/upper bend

Adapter-T Rails for the fixation of System Elements e.g. dividers and pushfeeds on standard wooden, glass and metal shelves.




Adapter-T Rail A001, self-adhesive, transparent

Recommended for light products. Good bonding to glass, metal and wood shelves. With transparent film adhesive tape.

Shelf width mm	Width mm	Length mm	PU	Item No.
600	13	595	80	30002395
650	13	645	80	30002397
665	13	660	80	30002399
900	13	895	80	30002405
1,000	13	995	80	30002408
1,250	13	1,245	80	30002409
1,330	13	1,325	80	30002410

Other measurements upon request.



Adapter-T Rail A003, magnetic, transparent


Adapter-T Rail for metal shelves. Can be easily removed for cleaning. (For sheet metal shelves for the fixation of dividers in the back of the shelf.) With black magnetic tape.

Shelf width mm	Width mm	Length mm	PU	Item No.
600	21	595	30	30002475
650	21	645	30	30002476
665	21	660	30	30002478
900	21	895	30	30002480
1,000	21	995	30	30002481
1,250	21	1,245	30	30002482
1,330	21	1,325	30	30002483

Other measurements upon request.

System components

Adapter-T Rails



Adapter-T Rail A003, self-adhesive, transparent



Recommended for heavy products. Good bonding to glass, metal and wood shelves. With transparent film adhesive tape.

Shelf width mm	Width mm	Length mm	PU	Item No.
600	21	595	50	30002501
650	21	645	50	30002505
665	21	660	50	30002507
900	21	895	50	30002511
1,000	21	995	50	30002512
1,250	21	1,245	50	30002516
1,330	21	1,325	50	30002517

Other measurements upon request.

With lower bend

Adapter-T Rails with lower bend 8 mm, for the fixation of System Elements, e.g. dividers and pushfeeds. The lower bend provides **edge protection on glass shelves** as well as **additional strength** of the profile when replenishing the shelving units.



Adapter-T Rail A004, magnetic, transparent

Recommended for heavy products. Can be easily removed for cleaning. With black magnetic tape.

Shelf width mm	Width mm	Length mm	PU	Item No.
600	20	595	20	30002524
650	20	645	20	30002525
665	20	660	20	30002527
900	20	895	20	30002528
1,000	20	995	20	30002529
1,250	20	1,245	20	30002530
1,330	20	1,325	20	30002531

Other measurements upon request.


System components

Adapter-T Rails

Adapter-T Rail A002, self-adhesive, transparent

Recommended for light products. Good bonding to glass, metal and wood shelves. With transparent film adhesive tape.

Adapter-T Rails with lower bend 8mm for the fixation of System Elements, e.g. dividers and pushfeeds. The lower bend provides edge protection as well as additional holding power of the profile when filling the product carrier.




Shelf width mm	Width mm	Length mm	PU	Item No.
600	10	595	50	30002417
650	10	645	50	30002419
665	10	660	50	30002422
900	10	895	50	30002425
1,000	10	995	50	30002426
1,250	10	1,245	50	30002427
1,330	10	1,325	50	30002428

Other measurements upon request.

Adapter-T Rail A004, self-adhesive, transparent

Recommended for heavy products. Good bonding to glass, metal and wood shelves. With transparent film adhesive tape.





Shelf width mm	Width mm	Length mm	PU	Item No.
600	20	595	20	30002534
650	20	645	20	30002535
665	20	660	20	30002536
900	20	895	20	30002537
1,000	20	995	20	30002538
1,250	20	1,245	20	30002539
1,330	20	1,325	20	30002540

Other measurements upon request.

System components

Adapter-T Rails

With upper bend



Adapter-T Rails for the fixation of System Elements, e.g. dividers and pushfeeds without front anchor. Also suitable for the **use without pushfeed** – the upper bend serves as front stop.


When using the pushfeeds with front anchor we advise the use of Adapter-T Rails without upper bend.

Adapter-T Rail A005, self-adhesive, transparent

Height 18mm. For adhesion on glass, metal and wooden floors. With transparent film adhesive tape.

Shelf width mm	Width mm	Length mm	PU	Item No.
600	21	595	20	30002548
650	21	645	20	30002549
665	21	660	20	30002550
900	21	895	20	30002551
1,000	21	995	20	30002553
1,250	21	1,245	20	30002554
1,330	21	1,325	20	30002555

Other measurements upon request.



Adapter-T Rail A006, self-adhesive, transparent

Height 30mm. Recommended for tall products. Good bonding to glass, metal and wood shelves. With transparent film adhesive tape.

Shelf width mm	Width mm	Length mm	PU	Item No.
600	21	595	20	30002568
650	21	645	20	30002570
665	21	660	20	30002571
900	21	895	20	30002572
1,000	21	995	20	30002574
1,250	21	1,245	20	30002575
1,330	21	1,325	20	30002576


Other measurements upon request.

System components

Adapter-T Rails

Adapter-T Rail A006, magnetic, transparent

Height 30mm. Recommended for high products. Can be easily removed for cleaning. With black magnetic tape.




Shelf width mm	Width mm	Length mm	PU	Item No.
600	21	595	20	30002559
650	21	645	20	30002560
665	21	660	20	30002561
900	21	895	20	30005150
1,000	21	995	20	30002563
1,250	21	1,245	20	30002564
1,330	21	1,325	20	30002565

Other measurements upon request.

Adapter-T Rail A007, self-adhesive, transparent

Height 40mm. Recommended for high products. Good bonding to glass, metal and wood shelves. With transparent film adhesive tape.




Shelf width mm	Width mm	Length mm	PU	Item No.
600	21	595	20	30002591
650	21	645	20	30002593
665	21	660	20	30002594
900	21	895	20	30002595
1,000	21	995	20	30002597
1,250	21	1,245	20	30002598
1,330	21	1,325	20	30002599

Other measurements upon request.

Adapter-T Rail A007, magnetic, transparent

Height 40mm. Recommended for high products. Can be easily removed for cleaning. With black magnetic tape.




Shelf width mm	Width mm	Length mm	PU	Item No.
600	21	595	15	30002581
650	21	645	15	30002582
665	21	660	15	30002583
900	21	895	15	30002584
1,000	21	995	15	30002585
1,250	21	1,245	15	30002586
1,330	21	1,325	15	30002587

Other measurements upon request.

System components

Adapter-T Rails

For shelves with U-Profile




Adapter-T Rails for the fixation of the System Elements, to insert into the **U-Profile** of system shelves, such as Tegometall.

Adapter-T Rail A015, for insertion, transparent

Flexible front gap of 4 to 9mm (x).

Shelf width mm	Length mm	PU	Item No.
600	588	50	30002647
650	638	50	30002648
665	653	50	30002649
900	888	50	30002650
1,000	988	45	30002651
1,250	1,238	45	30002652
1,330	1,318	50	30002654

Other measurements upon request.



Adapter-T Rail A017, width 19mm, for insertion, transparent

Insertion of 3-4mm front riser.

Shelf width mm	Length mm	PU	Item No.
600	588	50	30010416
650	638	50	30010417
665	653	50	30010418
900	888	50	30010419
1,000	988	45	30010324
1,250	1,238	45	30010325
1,330	1,318	50	30010422


Other measurements upon request.

System components

Adapter-T Rails

With holes for fixation, flat

Adapter-T Rails for the fixation of the System Elements, e.g. dividers and pushfeeds, on wire shelves.



Adapter-T Rail A003, to clip on, transparent

Fasteners are included in the delivery for the fixation on the wire shelves. For the fixation of the Adapter-T Rail, the fasteners are clipped through the punched holes onto the wire shelf. Compatible with wire shelves with a diameter of 2,0 to 3,4mm.

Details	Shelf width mm	Width mm	Length mm	PU	Item No.
with 3 clips	600	21	590	1	30002604
with 3 clips	665	21	660	1	30002607
with 4 clips	900	21	890	1	30002609
with 4 clips	1,000	21	990	1	30002611
with 5 clips	1,250	21	1,240	1	30002613
with 5 clips	1,330	21	1,320	1	30002616



Other measurements upon request.

System components

Adapter-T Rails

With advertising insert + retainer for LED-strips

A Shelving System with transparent front for insertion of advertising slides with retainer for LED-strips, suitable for **glass, wooden and metal shelves**.




Brandline Profile E014 curved, self-adhesive, white

Height 24mm. Adapter-T Rail with transparent front insert for advertising slides H30mm. With retainer for LED-strips. Good bonding to glass, metal and wood shelves. With transparent film adhesive tape.

Height mm	Shelf width mm	Width mm	Length mm	PU	Item No.
24	600	45	598	20	30003502
24	650	45	648	20	30003503
24	900	45	898	20	30003504
24	1,000	45	998	20	30003505
24	1,250	45	1,248	20	30003506

Other measurements upon request.



Pair of end caps, white

For lateral insertion into the curved Brandline-Profile E014, incl. fixation on existing Adapter-T Rails.







Dimensions WxDxH mm	PU	Item No.
25x25x20	20	30000053

System components

Divider



Divider, made of plastic with front anchor, to insure order on the shelf unit and the correct functioning of the pushfeeds (**avoid the "entanglement"** of neighboring products) as well as to safeguard the products' place reservation systems. Available in the heights 35, 60, 100 and 120mm, **also suitable for use in the cooling and freezing sections**. The height of the divider depends on the type of packaging (soft packaging, hard-cover packaging) and the height and form of the product. For fixation on all standard shelving elements, depending on the use, at least one fastener profile (Adapter-T) is needed. Compatible with accessory-elements with rear fixation and grid bar, higher front stops, lighting, and much more. Upon request also available in **colour** and with **individual contour**.




System components

Divider

Height 35mm




Front stop W 20 x H 17,5mm. For the separation of products up to a height of max. 60mm.



Divider D030, with front fixation, height 35mm, transparent

With 17,5mm front stop.

Length mm	PU	Item No.
105	136	30006164
130	136	30006165
155	136	30003079
180	136	30003080
205	88	30003081
230	88	30003082
255	88	30003083
280	88	30003084
305	68	30003085
330	68	30003086
355	68	30003087
380	68	30003088
405	68	30003089
430	68	30003090
455	68	30003091
480	68	30003092



Divider Vario D030, with front fixation, height 35mm, transparent

With variable lengths, can be individually adjusted within 25mm grid. For flexible use of articles with different shelf depths.

Length mm	PU	Item No.
205-355	68	30003115

System components

Divider


Height 35mm



Front stop W 20 x H 35mm. For the separation of products up to a height of max. 100mm.

Divider D030, with front fixation, height 35mm, transparent


With 35mm front stop.



Length mm	PU	Item No.
205	68	30006585
230	68	30006586
255	68	30006587
280	68	30006588
305	52	30006589
330	52	30006590
355	52	30006591
380	52	30006592
405	52	30006593
430	52	30006594
455	52	30006595
480	52	30006596

Divider Vario D030, with front fixation, height 35mm, transparent

With 35mm front stop. With variable lengths, can be individually adjusted within 25mm grid. For flexible use of articles with different shelf depths.



Length mm	PU	Item No.
205-355	52	30006694


System components

Divider

Height 60mm

Front stop W 20 x H 25mm. For the separation of products up to a height of max. 120mm.

Divider D060, with front fixation, height 60mm, transparent




Length mm	Height mm	PU	Item No.
80	60	192	30003138
105	60	136	30003139
130	60	136	30003140
155	60	136	30003141
180	60	136	30003142
205	60	88	30003143
230	60	88	30003144
255	60	88	30003145
280	60	88	30003146
305	60	68	30003147
330	60	68	30003148
355	60	68	30003149
380	60	68	30003150
405	60	68	30003151
430	60	68	30003152
455	60	68	30003153
480	60	68	30003154
505	60	68	30003155
530	60	68	30003156
555	60	68	30003157
580	60	68	30003158

Other measurements upon request.

Divider Vario D060, with front fixation, height 60mm, transparent

With variable lengths, can be individually adjusted within 25mm grid. For flexible use of articles with different shelf depths.



Length mm	PU	Item No.
105-330	68	30011379
205-355	68	30003210
205-480	68	30003211
355-580	68	30003212

System components

Divider



Divider D060, with front and rear fixation, height 60mm, transparent


With fixed lengths and rear divider clamp for the fixation on the Adapter-T Rail.

Length mm	PU	Item No.
180	60	30003159
280	68	30003161
305	44	30003162
330	40	30003163
355	40	30003164
380	33	30003165
405	44	30003166
430	42	30003167
455	42	30003168
480	40	30003169
505	35	30003170
530	35	30003171
555	33	30003172

Other measurements upon request.


Divider D060 System Techno, with fixation, height 60mm, strapa frosted

Surface "strapa-frosted". Extremely durable and resistant against scratches, fingerprints and the perception of dust. With front stop W 20 x H 25mm.



Length mm	Height mm	PU	Item No.
230	60	88	30009701
255	60	88	30009702
280	60	88	30009671
305	60	68	30003136
330	60	68	30009703
355	60	68	30009670
380	60	68	30003137
405	60	68	30009704
430	60	68	30009705
455	60	68	30009706
480	60	68	30009707

Height 100mm



Front stop W 20 x H 17,5mm. For the separation of products up to a height of max. 200mm.

Divider Vario D100, with front fixation, height 100mm, transparent

With variable lengths, can be individually adjusted within 25mm grid. For flexible use of articles with different shelf depths.

Length mm	PU	Item No.
205-355	68	30003238


System components

Divider

Height 120mm

Front stop W 20 x H 25mm. For the separation of products up to a height of max. 240mm.


Divider D120, with front fixation, height 120mm, transparent



Length mm	PU	Item No.
180	136	30003250
205	136	30003251
230	88	30003252
255	88	30003253
280	88	30003254
305	68	30003255
330	68	30003256
355	68	30003257
380	68	30003258
405	68	30003259
430	68	30003260
455	68	30003261
480	68	30003262
505	68	30003263
530	68	30003264
555	68	30003265
580	60	30003266

Divider Vario D120, with front fixation, height 120mm, transparent


With variable lengths, can be individually adjusted within 25mm grid. For flexible use of articles with different shelf depths.



Length mm	PU	Item No.
255-355	68	30003313
255-480	68	30003314
355-580	60	30003315

Divider Vario D120, with front fixation and front height 80mm, height 120mm, transparent

For high products with risk of toppling over. With variable lengths, can be individually adjusted within 25mm grid. For flexible use of articles with different shelf depths.



Details	Length mm	PU	Item No.
middle	255-355	26	30003310
middle	255-480	26	30003311
middle	355-580	26	30003312
right	255-355	44	30004921
right	255-480	44	30003301
right	355-580	44	30003302
left	255-355	44	30004920
left	255-480	44	30003303
left	355-580	44	30003304


System components

Divider

Divider D120, with front and rear fixation, height 120mm, transparent

For the separation of **stacked** as well as **heavy products**.

With fixed lengths and rear-base as integrated part for fixation on Adapter-T Rail.




Length mm	PU	Item No.
330	40	30003271
355	40	30003272
380	40	30003273
405	40	30003274
430	40	30003275
455	40	30003276
480	40	30003277
505	44	30003278
530	40	30003279
555	40	30003280
580	40	30003281

Other measurements upon request.

Divider D120, with front and rear fixation with magnet, height 120mm, transparent

With fixed length and **magnetic clip** for the rear fixation on metal shelves.



Length mm	PU	Item No.
205	70	30003287
280	70	30003288
305	40	30003289
330	40	30003290
355	40	30003291
380	40	30003292
405	40	30003293
430	40	30003294
455	40	30003295
480	40	30003296
505	44	30003297
530	40	30003298
555	40	30003299
580	33	30003300


Other measurements upon request.

System components

Divider

Accessories

Reinforcement elements for divider.




Grid bar A030 for divider, self-adhesive, light gray

For rear fixation and reinforcement of dividers (height 35, 60, 100, 120mm). Good bonding to glass, metal and wood shelves. Prevents the divider from bending when there is a lateral loading with use of pushfeed. With 6mm grid. Height 12mm.

Length mm	Height mm	PU	Item No.
600	12	40	30002700
650	12	40	30002701
660	12	40	30002703
900	12	40	30002706
990	12	40	30002709
1,240	12	40	30002711
1,320	12	40	30002715

Other measurements upon request.




Grid bar A030 for divider, magnetic, light gray

For rear fixation and reinforcement of dividers (height 35, 60, 100, 120mm). Prevents the divider from bending when there is a lateral loading with use of pushfeed. Height 14mm.

Length mm	Height mm	PU	Item No.
600	14	40	30002685
650	14	40	30002686
660	14	40	30002687
900	14	40	30002689
990	14	40	30002690
1,240	14	40	30002692
1,320	14	40	30002693

Other measurements upon request.



Railing for divider E005, transparent

Additional stop for products at high risk of toppling over. Recommended for example, for **pouches**. Inserted into the holes at the front of the dividers. The railing allows for easy removal. Compatible with divider height 60, 100 and 120mm. Diameter 5mm.

Length mm	Height mm	PU	Item No.
595	5	100	30003438
625	5	100	30003439
655	5	100	30003441
685	5	100	30003442
895	5	100	30003443
995	5	100	30003444
1,245	5	100	30003445
1,325	5	100	30003446

Other measurements upon request.

System components


Divider



End cap for railing, black

For the fixation of railings.

Length mm	Height mm	PU	Item No.
14	11	1,000	10000338



Connector for railing, transparent

To connect two railings. Diameter 8mm.

Length mm	PU	Item No.
50	50	30000321

System components


Guiderails

For the reduction of the friction between the product and the shelving unit. Necessary for guidance of the pushfeed, except for very light, square packagings.

With the following advantages:

- Improved gliding properties when pushing the merchandise
- Less effort needed when replenishing the shelf
- Less friction – thus, more safety for the products and protection of the product packaging

Guiderails width 19mm




Guiderail F001, for Pushfeed with width 15mm, light gray

Width 19mm with end stop, recommended length is 20mm shorter than the divider. The F001 is oiled.

Length mm	PU	Item No.
185	350	30003756
210	350	30003758
235	350	30003761
260	350	30003763
285	300	30003765
310	250	30003766
335	250	30003768
365	250	30003770

Other measurements upon request.

Guiderails width 34mm



Guiderail F003, for Pushfeeds with width 28, 40, 44 and 75mm, light gray

Width 34mm, with end stop. The F003 is oiled.

Length mm	PU	Item No.
183	100	30003921
208	100	30003923
233	100	30003924
245	100	30003927
258	100	30003928
283	100	30003931
308	100	30003933
333	100	30003935
345	100	30003937
358	100	30003938
383	100	30003940
408	100	30003943
433	100	30003944
445	100	30003945
458	100	30003946
483	100	30003947
508	100	30003948
533	100	30003950
558	100	30003951


Other measurements upon request.

System components

Guiderails

Guiderail Vario F003, for Pushfeeds with width 28, 40, 44 and 75mm, light gray

Width 34mm, with end stop, recommended length is 22mm shorter than the divider. Snap-off units every 25mm. Breakable increments guarantee a simple and efficient handling during assembly. For use with pushfeeds that have a raised bottom housing only. The F003 is oiled.



Length mm	PU	Item No.
183-333	100	30003984
233-458	100	30003985
333-558	100	30003986

Other measurements upon request.


System components

Complete shelf equipment

Presentation solution for **cigarettes** (king size, big pack, maxi pack, etc.), **pouches** and **cigarillos** consisting of the Pushfeed- and Divider-System, fitting all standard shelves.

Without Adapter-T Rail (see chapter Adapter-T Rail).

Shelf equipment for RMC



Complete Glass Shelves

Presentation solution for cigarettes and pouches, consisting of:

- Glass shelves
- Rubber layer for glass shelves
- Adapter-T Rail
- Divider
- Pushfeed 2N with labelholder
- Pushfeed 4-8N with labelholder
- Guiderail

without brackets

Assembly kit for individual shelves

No. of Facings	Depth mm	Width mm	PU	Item No.
10	380	600	1	30000855
11	380	650	1	30000856
13	380	900	1	30000858
15	380	1,000	1	30000852
19	380	1,250	1	30000853

Brackets for glass shelves, silver

Made of 2mm steel sheet. With holes for fitting of glass shelves with rubber stoppers. Compatible with all shelving systems.




Depth mm	Hole pitch mm	PU	Item No.
320	30/60	20	70000141
320	35/70	20	70000142
320	40/42	20	70000144
320	45	20	70000148
320	50	20	70000152

Cigarettes

Presentation solution for cigarettes, consisting of:

- Divider
- Pushfeed

without Adapter-T Rails



Assembly kit for individual shelves

No. of Facings	Depth mm	Width mm	PU	Item No.
10	355	600	1	30003063
11	355	650	1	30003064
13	355	900	1	30003065
15	355	1,000	1	30003061
19	355	1,250	1	30003062

Suitable Adapter-T Rails for each type of shelf can be found in chapter Shelf Management Systems / Mounting System.

System components


Complete shelf equipment

Cigarette cartons

Presentation solution for cigarette cartons, consisting of:

- Divider
- Pushfeed
- Guiderail

without Adapter-T Rails



Assembly kit for individual shelves

No. of Facings	Depth mm	Width mm	PU	Item No.
2	355	600	1	30003078
3	355	900	1	30004891
4	355	1,250	1	30004890

Suitable Adapter-T Rails for each type of shelf can be found in chapter Shelf Management Systems / Mounting System.


Shelf equipment for Pouches

Pouches

Presentation solution for pouches, consisting of:

- Divider
- Pushfeed
- Guiderail

without Adapter-T Rails



Assembly kit for individual shelves

No. of Facings	Depth mm	Width mm	PU	Item No.
6	355	600	1	30003076
7	355	650	1	30004888
10	355	900	1	30003077
11	355	1,000	1	30003074
14	355	1,250	1	30003075


Shelf equipment for Cigarillos

Cigarillos and e-cigarettes

Presentation solution for cigarillos and e-cigarettes, consisting of:

- Divider
- Pushfeed

without Adapter-T Rails



Assembly kit for individual shelves

No. of Facings	Depth mm	Width mm	PU	Item No.
9	355	600	1	30003068
12	355	900	1	30003069
13	355	1,000	1	30003066
16	355	1,250	1	30003067

System components

Flexible shelf equipment

For small nicotine products



Assembly kit small

Presentation solution for disposable e-cigarettes, e-shishas, liquids and other narrow products, consisting of:

- Adapter-T Rail (2 x 498mm length)
- Vario divider
- Pushfeed

No. of Facings	Length mm	Width mm	PU	Item No.
26	205-355	996	1	30010926

For medium nicotine products



Assembly kit medium

Presentation solution for cigarettes, shisha tobacco, wide liquid pods and tobacco tins, consisting of:

- Adapter-T Rail (2 x 498mm length)
- Vario divider
- Pushfeed

No. of Facings	Length mm	Width mm	PU	Item No.
16	205-355	996	1	30010927

For big nicotine products



Assembly kit big

Presentation solution for roll-your-own tobacco, e-cigarettes (devices) and other heavy products, consisting of:

- Adapter-T Rail (2 x 498 mm length)
- Vario divider
- Pushfeed

No. of Facings	Length mm	Width mm	PU	Item No.
16	205-355	996	1	30010928

Kühnis Solutions est un partenaire stratégique de POS Tuning. Cette entreprise innovante est synonyme de systèmes de poussée de marchandises ingénieux comme peu d'autres. Grâce à cette collaboration, vous bénéficiez également en Suisse d'une présentation attrayante en rayon qui vend.



Kühnis Solutions vous conseillent de manière exhaustive en matière de présentation de marchandises et de promotion des ventes et vous propose un système de présentation de marchandises qui s'adapte parfaitement à vos étagères et produits. Dans le showroom à Oberriet (SG), vous pouvez être convaincu par les solutions en direct. Une simple inscription suffit:

info@kuehnis-solutions.ch
071 760 07 07

